### **UNCLASSIFIED**

### AD NUMBER AD306322 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 01 FEB 1959. Other requests shall be referred to Chemical Warfare Laboratories, Army Chemical Center, MD. **AUTHORITY** ECBC memo dtd 11 Jul 2016

### **UNCLASSIFIED**

AD NUMBER
AD306322
CLASSIFICATION CHANGES
unclassified
FROM confidential
AUTHORITY
USACC ltr. 1 Dec 80

THIS PAGE IS UNCLASSIFIED

### Armed Service's Technical Information Agency

ARI INGTON HALL STATION AI LINGTON 12 VIRGINIA

FOR

MICRO-CARD

CONTROL UNLY

NOTICE: WHEN GOVERNMENT IN OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA THE USED FOR ANY PURPOSE (THER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT PERATION, THE U.S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY BLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORE SLATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATION A. ON OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE A! IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE. USE OR SELL ANY PATENTED IN MENTION THAT MAY IN ANY WAY BE RELATED THERETO.



# AD No. 4 306322 ASTIA FILE COPY

### CONFIDENTIAL

ONL I DENICAL MEMORANDUM 33-14

INTARIN RELEAT

GWI THAY HIGHT THE HAM THANK TO THE PROPERTY PM FC BAC

FILE COPY

Belern to

ASTIA

ARLINGTON HALL STATION
ARLINGTON 12 VIRGINIA

Atras Tires

λ,γ

Norman Relah 1 February 1959

"The information in this memorandum is issued for temperary or limited use only, and it may be supersedua."

Directorate of Development
T.C. Army Chemical Warfare Laboratories
Army Chemical Center, Marylond

ASTIA

ASTIA

TIFOR

CONFIDENTIAL.

This document is the property of the United States
Government. It is formished for the duration of the contract and
shall be recurred when no longer required, or upon
recall by ASTIA to the following address:

Armed Services Technical Information Agency, Aritagem Hall Station,
Aritagion 12, Services

NOTICE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 and 794. THE TRANSMISSION OF THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROPERTED BY LAW.

## DECT

## AVAILABLE

ING THE

**LEANING** 

nd 794.

IN

D BY LAW.

COPY

CWL Technical Memorandim 33-19 Status Report CNL Traversal Program
Phase B - "Pick-Up"

Author

Submitted:

Robert M. Black

Chief, Planning & Eveluation Branch

Recommending approval:

Chief, Test Division

APPROVED:

R. D. CHAPMAN

Colonel, GmlC Director of Development

CONFIDENTIAL

### ARSTRACT

### (C) Object.

The object of this phase of the Traversal Program is to estimate the quantity of V-agent that can be bicked up on the clothing of troops traversing conteminated cross.

### (C) Results.

"Creep and crewl" trials simulating a streight-line traversal of open terrain under fire were conducted at Army Chemical Center, Maryland, on test sites where the soderately dense vegetation (8) to %% coverage) was maintained at a height of 3 to 0 in. The quantity of simulant bicked up on the W.S. Army fatigue uniforms of test subjects crewling across the area within an hour after the dispersion of simulant averaged approximately 1% of the contamination density per unit length of the traversal path (ie, P' = 0.21 CL; where P' is the pick-up of simulant, g; C is the contamination density, g/sq m; and T is the distance traversed, m). This relationship appeared to be independent of the particle size of the dispersed simulant, although evidence exists to show that particle size does have some effect on the transfersbility of simulant and agent.

A communisce of the transferability of agent to that of simulant indicated that the relative transferability of agent decreases with increasing contamination. This relationship may be expressed as  $R \approx \exp(0.00\ C)$ , where R is the ratio of seem to simulant nicked up on the cloth-covered roller. The constant of this equation is an approximation based on limited data and requires substantiation by further testing.

From the foregoing it was assumed that, if V-agent were used instead of simulant in the Moreen and craula trible, the average quantity of ejent that would have been picked up could be represented by the equation  $P = 3 \cdot 11 \text{ CL exp.} - (3 \cdot 30 \text{ C})$ .

The quantity of agent picked up on the cloth-covered roller traversing contaminated areas one day after the dispersion of V-sgent averaged approximately AV of that picked up when the 'raversal was effected within one hour after the dispersion. This reflects the appearably rapid decline in agent available for pick-up, a fact which was corresponded in CWL Technical Memorandum 33-19, dated a February 1959, covering Phase & (Persistence) of the CML Traversal Program. (Note: The results presented are specific for a marticular field activity and for assentially one type of terrain condition. Additional testing is required to provide information relayive to other field activities performed on V is and other types of terrain.)

CONFIDENTIAL

### Table of Contents

																										3	Page	,
I.	OBJE	CT.	٠	. ,	•		-	•	•	•	•	•	•	•	•	•			•	•	•	٠	•	•	•	•	5	
II.	AUTH	ORITY														•										٠	5	
III.	INTR	ODUCT	ORY	R 32	<b>ia</b> ri	ĸs,				•										•						•	5	
IV.	<b>K</b> X PE	RIME	TAL													•	,				۰		•				6	
	۸.	"Сте	ep :	and	Cre	wl'	T T	ri	<b>a</b> ]	8																	6	
	В.	Man-	V 5	Ro.L	ler	Tri	ial	8										·									8	
	C.	Agen	t-7:	e -S1	.mu]	lant	t	ri	al	. 6																•	ò	
٧.	DISC	USSIO	N.										•										•	•		•	10	
APPE:	LIXE	S																										
	٨.	Tabu	late	ed I	e te	٠.																					12	
	В.	Grap	hs I	and	Cha	rts	3,	•												-	-						27	
	c.	Phot	OFT	inha	١																						32	

### INTERIM REPORT! CWL TRAVERSAL PROGRAM PHASE B - "PICK-UP"

### I. (C) OBJECT.

The object of this chase of the Traversal Program is to estimate the quantity of V-agent that can be picked up on the clothing of traversing contaminated areas.

### II. (U) AUTHORITY.

This study was authorized in the Chemical Warfare Laboratories Traversal Program, dated 25 March 1957.

### III. (C) INTRODUCTORY REMARKS.

To study and assess the traversal and occupational hazards of dispersed V-agent, the CMI Traversal Program was implemented by direction of the Deputy Commander for Scientific Activities, U.S. Army Chewical Warfare Laboratories. This program is divided into three related phases: Phase 4 — Persistence and Decontamination — determining the persistence of V-agent and factors governing this persistence; Fname B — "Pick-Up" — determining the quantity of agent transferred to personnel traversing or occupying contaminated areas; and Phase C — Casualty Production — estimating the effectiveness of 'pick-up" in producing casualties. These phases are detailed in a CWI document, subject: The Casualty Producing Carability of V-agent when Dispersed as Terrain Contaminant (C), dated 25 March 1357.

This report is concerned primarily with the results of the areal traversal trials conducted under Phase B of the Traversal Program. These trials were designed to provide information relative to the transferability of V-agent to the uniforms of troops crawling across contaminated terrain (ie. simulating the traversal of open areas under fire at hight). We tests small wine the direct measurement of V-agent pick-up on the clothing of test subjects were considered because of the hazard to participating personnel. Therefore, the objectives of this phase of the program had to be satisfied by estimating the pick-up of V-agent from the results of Field Test No. 1:24 and Test Plan No. 29 which were prepared and executed by Test Division. Field Test No. 1924 provided for the conduct of a series of "creep and crawl" trials to detarmine the quantity of simulant picked up on the uniforms of test subjects prawling across terrain on which simulant was disseminated in specified ranges of contamination densities and particle sizes. Test Pian No. 29 provided for a series of trials to establish (1) the relative transferability of simulant from the groun! to both man and a cloth-covered roller, and (2) the relative transferability of agent and simulant from the ground to the roller. The resulting man-to-roller and agent-to-simulant data provided the basis for estimating the quantities of agent that would have been picked up by test subjects had V-agent instead of simulant been used in the "creep and crawl" trials.

The pick-up due to other activities in the field is yet to be studied. However, as a result of a series of field trials conducted at Army Chemical Center in March 1954, a considerable quantity of such data is available. This information is reported in CRLR 500, subject: Liquid Agent Picked Up by Troops Traversing Areas Contaminated with CW Agents, dated 7 December 1955. It is planned to study the extent to which this large body of information is applicable to the present problem.

All data relative to "nick-up" accumulated since the inception of this chase of the program in July 1957 are incorporated in this report. These results and the inferences drawn therefore are regarded as inferis in character, and as such are issued for temporary or limited use only. They say be superseded when additional data are received and evaluated.

### IV. (C) EXPERIMENTAL.

### 4. Prees and Gravel Trible.

### 1. Procedure.

The foreen and creat trivis, as treamnithed to the test directive for Field Test to, 1974, were objected on Tat Field, Army Oten on Center, on a sits selected for the uniformity of vegetation we concerned about #0 to and of tre terrain surface. This are a was divided into test etrice the wide he 5) w long. To insure similar termin conditions for easy trial, the grass on these string was maintained at 2.500 in. In each trial, five in all test strill were o standard with simplest (dibuty) of the late dyet with Fig. 8 . 12 Red 2 dissection ted uniformly by means of a mechanical device. The enteringentia accounts a figure 1. Appendix C) was enloyed for the distribution of email count less whereas the multijet disperser (figure 2, appendix 3) was earl yet for large particles. The uniformity of the contemporation and the marticle also lists, but to mere determined from sampling cans and Mo caper placet etrategically allry ears test strice. As good as practicable (15 to a min) after the discontraction of simulant, each that strip was traversed by two test subjects?, each crawling as if he were advancing under fire along an appigned path one a wise. For this reversel, the trees consisted of ".S. Army fatigue uniforms over cotton drawers and I age steeved undershirts; the test subjects als some gott highwas and telest liners, and carried simulated (wooden) rifles. As soon as the formeter traversal was effected, all clothing was resoved, and transa of similars or the cifies, beings there and skin were swabbed with solvent. The old thing and all swabs were forw mied for analysis at the clise of the trial. Items f clistring were proturned and sectioned prior to being analyzed for the quantities of election to minked up to the various marts f the uniform.

<sup>&</sup>quot;In the last four trials, a cloth-covered roller (figure 4, asserdix C), was substituted for the second test subject traversing 3 of the b test strins. (cf. par B 1),

### CONFIDURTIAL

### 2. Results.

During the period of July 1957 through May 1958, a total of oleven "creep and drawl" trials were conducted. In these trials similant was disseminated in densities ranging from 0.3 to 13.6 g/sq m with particle size distributions having mass median diameters of about 10 to 3,100 microns. The data derived from these trials, representing a total of 103 individual traversals, are presented in tables 1 through 11, appendix à. Photographs of the representative distributions of simulant on clothing are included as figures 5 through 7, appendix 6.

The quantity of simulant picked up on the uniforms of test subjects was foun to be directly proportional to the density of the disseminated agent. The average pick up was equal to 1% of the contamination density per unit length of the traversal path, or as alternately phrased, equal to 0.01 times the probability times the distance traversal during trass force; and crawle trials, the average pick-up was numerically equal to methalf the proforficition lensity). This relationship, which appeared to medial the proformation tensity. This relationship, which appeared to medial the proformation of the dispersed agent,

In general the simulant on the uniforms was located, in descending order of contamination, on the gloves, lower abdomen, elbows, knees, foregras, order abdomen, thirds, shins, chest, and unper area. This distribution of simmled to contain any iterally in figures 1 and 2, amendix B, and is summarized in the table below, variety one in lick-up and distribution of the simulant on uniforms seen attributed to differences in the manner in which individuals crawled; they are in the seembled to the physical characteristics (i.e., height and weight) of the tablects on the traversal time.

### DISTRIBUTION OF SIMULANT ON CONTAMINATED UNIFORMS

Location	Average Percentage of Total Fick-Up	_
Jacket		
Chest, left	3.0	
Chest, right	1.9	
Upper Abdomen, laft	6.5	-
Upper Abdomen, right	3,8	
Upper Arm. left	1.3	
Upper Arm, right	0,8	•
Elbow, left	7.6	
Elbow, right	5.1	
Foreurm, left	6.0	;
Forearm, right	4.4	i
Trousess		
Lower Abdowen, left	8.1	
Lower Abdomen, right	6.4	
Thigh, left	5.7	
Thigh, right	4.5	
Knee, luft	6.1	
kaee, right	4.7	
Lower Leg, left	3.4	
Lower Leg, right	2.6	
Cloves		
Left	8.0	
Right	9.9	

In three of the eleven trials, the pick-up deviated significantly from characteristic results. In trials 5 and 7 roughly holf the enticipated quantity of simulant was picked up. This reduced pick-up was attributed to the frosen terrain during trial 5, and to the dead and very dry vegetation covering the area during trial 7. In trial 11 the use of a different due in preparing the simulant was assumed responsible for the pick-up which was apparently twice the anticipated quantity.

### B. "Man-Vs-Roller" Trials.

### 1. Procedure.

In accordance with Test Plan No. 29, as smended, the test site on Graces quarters was divided into 20 adjacent test stript, 2 meters by 25 meters, which were numbered consecutively. To eliminate grass height as a variable in these trials, the grass was mowed to 3 in. on days of test. On the ten

miform sizes. multije microns (figure simulan pans us as in t the clo ties of determi selecti data wh represe.

odd-num

the relutest subscreens to the relute to the relation to the r

test sull length of the rest the rest (cf par

of simul picked u constant suppleme Field.

more tra relation crawl\* of technique during t

C.

1. above

odd-numbered strics simulant (dibuty) phthalate dyed rad) was disseminated uniformly in a specified range of densities in both large and small particle sizes. Large droplet sizes (about 3,000 microns) were generated by the multijet disperser (figure 2, appendix C); small particle sizes (about 500 microns), by the same device equipped with air-operated spray nozzles (figure 3, appendix C). As soon as practicable after the dissemination of simulant (ie, about 15 min, the time to collect the contents of sampling pans used to chec. the uniformity of dispersion), each test strip was traversed as in the "creep and crawl" trials described in par A, 1, above, however, with the cloth-covered roll r substituting for the second test rubject. The quantities of simulant micked up on both clothing and cloth of the roller were determined. (Note: One test subject was employed throughout these trials. His selection for these trials was based on a cursory review of "creep and crawl" data which indicated that his manner of crawling resulted in mick-up most representative of the average of all test subjects.)

### 2. Results.

The results of these ten trials conducted in June 1758 to establish the relative transferability of simulant from terrain to the uniform of a crawling test subject and to the cloth-covered roller are presented in tables 12 and 13, appendix A. These tables also include supplementary data derived from "creep and prawl" trials (see footnote p b).

The average quantity of simulant ricked up on the uniform of the test subject was somewhat in excess of 1% of the containation density per unit leight of the traversal path. This rick-up was not significantly different from the results dirived from \*creen and crawl\* trials conducted on \*M\* Pield (of par A, 2, above).

A good correlation was obtained between the comparative quantities of simulant nicked up by man and the cloth-covered roller; ie, ratio of simulant picked up by the roller to that picked up by man appeared to be essentially constant and independent of particle size. The same relationship was found in the supplementary trials conducted in conjunction with "creep and creal" tests on "M" Field.

Figure 3, appendix 3, indicates that smaller particles are somewhat more transferable from the terrain to cloth than are the larger particles. This relationship between particle size and pick-up was not detectable from "creep and crawl" data because of the overshadowing effects of minor differences in crawling techniques of individual test subjects, and differences in terrain characteristics during the 10-mo test period.

### C. "Agent-Ve-Simulant" Trials.

### 1. Procedure.

As prescribed in Test Plan No. 29, the trials described in par B, 1, above, were rerun on the even-numbered test string with VX substituted for

### CONFIDENTIAL

simulant and with the treversal of the strips by test subjects eliminated. As soon as practicable after the dispersion of texic agent, the roller, severed with two layers of cotton sateen cloth, was rolled along the left side of the strip. In a like manner, the right side of the strip mus traversed by the roller on the following day. In both cases, as soon as the traversal was effected, each layer of cloth was removed from the roller and analyzed for agent picked-up. The procedure of analysis used was the DB3 method.

### 2. Results.

The results of 10 trials conducted in July and August 1958 to determine the quantity of V-agent picked up from contaminated terrain by the cloth-covered roller are included as table 14, appendix A.

When the quantity of agent picked up on the roller traversing the test strip within an hour after contamination was command with the quantity of simulant picked up under similar conditions in trials described in mar B, above, it was found that the relative transferability of agent decreased with increasing contamination. This relationshir is graphically depicted in figure 4, appendix B, where the ratio of agent to simulant pick-up is plotted against contamination density on semi-logarithmic paper to produce a straight line whose equation is  $R = \exp{-(0.06\ C)}$ ; where R is the ratio of agent to simulant pick-up; and C, the contemination density in g/sq m. This line was based on limited data, and the equation, therefore, requires substantiation by further testing.

As was the case with simulant, agent disseminated in smaller particles was picked up somewhat more efficiently by the roller on the first traversal than was agent disseminated in the larger droplets. Whereas the pick-up of simulant was found to be directly proportional to the contemination density (within test limits), the rick-up of agent leveled off or became less efficient with increasing ground contamination.

The penetration of agent from the top layer of cloth to the under layer was not significant during the first traversal, amounting to an average of about 2%. However, on the second traversals of trials 6 through 10 performed on met terrain, the increased parcentage of agent on the undercloth indicated the sid to penetration provided by moisture.

The quantity of agent picked up on the roller traversing the conteminated area one day after the dispersion of V-agent was found to average approximately 45 of that picked up on a roller traversing the area within an hour after contamination is effected. This indicates the rapid decline in agent available for transfer to troops traversing the area.

### V. (C) DISCUSSION.

The over-all objective of the Traversal Program is the estimation of the casualty producing capabilities of V-agent dispersed as a ground contaminant. The performance of the trials covered in this report provided agent cick-up data which, when coupled with information relative to the percutaneous toxicity of the agent and its penetration through treated and untreated fabrics, permit an estimation of

### CONFIDENTIAL

potentia over con in this

In up and i pick ur, test sub

Per for the ted area the tota traverse the quan ly-dense hour aft contant mass med

The

1 and 2, 1 through sections P" = f (1 uniform; density example. is trave the pickwill be x 2.0 x : and (C) figures 4 prestab. wulnerab. traversa:

### A IICE TIA

TABULAT	ED DATA

																		יאַפרו
Table	1	"Creep ar	nd Crawl"	Trial	Кэ.	1.												13
Table	2	*Creep ar	d Crawl"	Trial	No.	2.												14
Table	3	"Creep ar	nd Crawl"	Triel	Υ'n.	3.												15
Table	4	"Creep as	id Crawl"	Trial	Nc.													10
Table	5	"Creep ar	d Crawl"	Tria'	No.	5.												17
Table	6	"Creep ar	d Crawl"	Trial	10.	6.									,			12
Table	7	"Creen a:	d Crawl"	Trial	No.	7.			,									13
Table	8	"Creen Ar	d Crawl*	Triel	No.	٠,												25
Table	3	"Creet ar	d Crawl"	Trial	No.	٦.												21
Table	10	*Creen ar	d Crawl"	Trial	No.	17.												22
"able	11	#Cree: a.	d Cramia	Trial	No.	11.												2 1
Table	12	Pick-Up o	n Man in	Man-v	a_R	100	ŗ	1:	118	٠.								24
Table	13	Commarati																
table.	3/	Comparati	ve Trer :	fareh!	11+0	at 1		an f			1 3	: 4 ~	<b>*</b> , `	•				20.

CONFIDENTIAL

		f	ES CIX. SASHO	TABLE 1 GRAND TRINL NO. 1	•					:.
Dates 15 July 1957						:				•
lest Mobject Height (in.) Height (in.) Height (in.) Height (in.) Contamination wheaty (g./fl.m.) The wormal lise (in. e.ec.)	# # \$ # \$ \$ \$ \$ \$ \$	ా పి.సిఇల్లీ <b>శి</b> స్తే	P KALLE A	ન જસ્ત્રસ્ત્રું <b>શર્</b>	ా జమ్మానిస్తే		67 67 67 67 67 67 67 67 67 67 67 67 67 6	म अस्टब्र्हेस् 	. 255.55 st	- strigs I
Location of Pick-Up		Similant Fi	cked up (mg.) on	Signifient Floked up (wg.) on 'earlieus Sections of Uniforms	s of Uniforms					
Clease, loft Londer, loft Londer, loft Chase, loft Chase, loft Ciper Achasen, fight Ciper Achasen, fight Silver, left Silver, left Formann, fight Formann, fight	พสะวิจอกพะย	÷ คคิดฎสถองท∾ง	សមសស <b>០១</b> ៩សក្នុស	дногоонағи	こりはこうひりしょうき	<b>೯೬೬ ಕ್ರಾಂಥಿಕ ಕ್ರಾಂಥಿಕ</b>	ะพออออฐกฎก	우리철목으로벌 <del>에</del>	พอพอออหุกทค	രകവശമാലച്ചു
Journ Locksum, loft Liver Addown, rint Pricy, loff North, right North, loff North, loff Liver Locksum Loom Locksum Loom Loom Locksum Loom Loom Loom Loom Loom Loom Loom Loom	33 <i>00</i> 0000	กษาแกษพา	ลืชลีนีพพฯ๐	. ಇವನ್ನೂ ಇವನ್ನು	22 ot-1000	vederano	ಕ್ಷುಬ್ಲಿಕ್ಕಾರಿತ್ನ	TANS CON	စားမျှောစစာစာကခ	
Oloves Left Right	भ्रम	ಇಜ	<b>ო</b> ფ	21	<b>.</b>	ភព	<b>. %</b> %	និង	ងដ	88
/iscelianeous Affle	3.5		ي کو	ر د		<b>7</b>	6	2.9	7	0,0
Total mean of the Court, sact of the Figure	7.0			. ଝୁ <sup>*</sup> ୦	1.8 R	4.1. 1.1.	8	2.9	0 3 8	0*1
TOTALS	221	91	121	និ	8	921	185	987	801	Ä
Plokely Pactoring	0.770	0.m3	0.TL	0.754	Je.5.0	2,615	1,211,	1,220	0.732	5.875

0.875 విస్తున్న<u>ల</u> 1.0 <u>6</u> 50 22 0.732 Berger J 8 म क्षेप्रस्टित्रेत्रे स 1,720 졁 \$ 2.3 0024004**2**004 - జమ్మ్రేవెక్ట 1,21 1.9 8.4 Ř = 5£ 5 3 3 Š 7°0 1°1 hard or Sections of Uniforms er 25.0 ా క్రాజ్యాస్త్రిస్తేన్త CREEP AND GRAND TABLE NO. 1 ς. Σ S उत्तरमहा ĸñ3,8**2** 5 757 Simulant Ficked " పి.సి.ఇప్ప్ **క**ెస్ట్ £.0 -7 4 < ఆస్ట్రె**ఫ్ట్**ల్ లోన్ల 0,775 0.0 77 22 ~4~30000~ \*Fotal quantity of similant pic Containation oratty (5./5144.) Farticle bine (4, 440) [rungereal line (710. - 590.) Lower Acchows, 1885
Line or Acchows, 1885
The Grand or Comment of the Comment of nule Tream T Upper Arry 1sfe Upper Arry 1sfe Sibony 1sfe Elbony right Foreary 1sfe Foreary 1sfe Dates 15 duly 1957 Location of Fick-Up Settle Factores 4 scallangua 3,5 Re waters 20,786. TOTAL Jacket

15 July 1957			ा अवस्थ	AND GRAWE TREET NO.	~]	- (m.m.) 11		.*		
Test Subjact	- 0					\ 				
Hatgh: (in.) Matght (ib.) Uniform Ro. Contamination Denet & (e./sq.s.) Trayered Trace (p. Kul)	ភភិពនិស	<b>- 42</b> 4428	-0% <b>4</b> 4%	ઌ <i>ૢૹૢૹૡૢૼ</i> ઌૢ	~ 25° %	4 <b>6</b> 8 8 8 3	F 555 F	್ಫಾಟ್ ಶ್ವ ಕ	* 922 x x	- 20 CC CC
Leation of Pickup	75/1	1 4	] 3	3-16	1 9		85	8 <del>2</del>	21-2 21-2	\$\$.   
Jacket									- 327 AZ	
Chest, left Cheet, mght	91	14	, .	*	\$	ચ	3	1		
Copier Abdomen. Infl.	-£.	9 KY	69 69	6. 6.	ಚಿತ	ያዳዩ	235	ድድ	ន្ទន	₩.
Sport Arm, laft	ဥတ မ	<u>e</u> ∾ •	8 %	25	197	055	₹%;	કું <b>દ</b> ે	ដូន	25.5
Alba, Jofe Elbar, Here	1%	ጉቭ	63	Sign	:#:	أحا	3.2	<b>~</b> 2	동국	696
Formary 10ft	:8:3	হ ক্র	1. 1.5	: S &	នងរ៉	្រុ	로류	u er	187	12 21
Toursts	8	P.	131	\$	ខ្ព	38	<i>\$1</i> 5	ट्ट <sup>स</sup>	સુજ	33
Lower abdomen, laft	29	2	á	i						
Forms Abdones, This	23.8	337	2.2	بر <u>در</u>	25	112	101 101	ಪೆ	536	118
Inig. right	122	7.F.S	R <u>u</u> 2	&≈:	.F'X	រដូង	1EE	ት አሜ	ន្តស្ពួន	ૹૹ૽ૺ
Lower Lee, left	<sub>አ</sub> አ		3% <u>5</u>	e fa	58.6	.E.E	£1.	\$ PA 20	ភ្	333
all the second	e E	53	ង	<b>1</b> 8	ጵ።	ደአ	S 7.	.G2		ř
を 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							<del>.</del>	8	2	is Si
Laft Right	55.	89.5	Z.	£;	₩.	. ett	63	¥	ą	į
Stace I im sous			Š	/0	138	705	S.	201	<b>K</b> A	202 203 304
मांग्रेe	16,	- 04	4	;	;					
Underwear		•	•	<b>=</b>	ខ	-	ដ	4	î	K
Guff, 1976 Guff, right	<b>9</b> 90	0.1 0.3	1°0 2°0	0 0 0	0.1	r,	8, 8,3	2.0		
Sich	ir	. ;	}			1	<b>4</b> -8	8.2		100
ATION OF THE PROPERTY OF THE P	• }	1.0	o <sub>e</sub> C	8°1	9*0	7-1	6*1	0.1	0.7	2
	7.57	tî.	1137	1972	1531	1210	11.22	. 0511	2553	- g
ביין היין היין היין היין היין היין היין	2.936	0.522	1,069	754.0	1,064	1,241	1,663	3.4.6		200
B/H, 5/76.								7	0.8 LY	4.92×

TWO DISTRICT

157 77 156 156 156 156 156 156 156 156 156 156				TABLE 2 CREAP MO CRAMIL TH	TABLE 2 CRANL THELT NO.						
	1501 Ten. 1951.						Markey (Markey)				
### Parkety  #### Parkety  ##### Parkety  ###### Parkety  ###### Parkety  ###### Parkety  #######  #########  ###########  #####	inijt, buckjet inijt buckjet Wanger (lb.) Uniform ko Gentamnstrom Deretter (g./#q.m.) Protected Theo (m.m sec.)	2,52 2,52 3,52 3,53 3,53 3,53 3,53 3,53	4 도 전 국 (1862 년 ) 1862 년 (1862 년 )	-22:42X	200 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	្រុខនិងសំរីរ៉ូ	* E # E E # & & &	ื=≎หัล <b>ะ</b> ชั่งั	~ এয়েম <i>ই</i> বুঁ	•
The latter than the control of the c	Location of Pickelp		Simulant Pi	(%w) dn	Various	+ 1					
### Section 1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00	Onest, loft Onest, reptt Onest, reptt Upper Abdomen, loft Upper Abdomen, right Upper Abborn, right Abbus, loft Elbos, agat Promers, loft Formers, loft	\$6528mm85288	<b>112%73 4 274 275 2</b>	52252833400 101	\$252×1378	8443=138388	3867446488	<i>쏞쫎鵛×</i> 눥픱텉쎁뚓 <i>⋉</i>	₽5%₽ <b>₽^9</b> ₽%%	85 5 5 4 4 E E E E E E E E E E E E E E E	8x288x42X4
t. 557 68 59 77 85 110 27 77 12 110 110 110 110 110 110 110 110 110	es abdomen, luft est abdomen, -dont est laft est right est luft est luft est luft est luft est luft	<b>2</b> .88438868	<i>ያ</i> ን አጹ ገ ኡ <mark>ድ</mark> ድ	ಬ್ <b>ಟ್ಗಳ</b> ಪ್ರಕೃತ ನಿಜಿತ	<b>2577878</b> 8863	<i>ጜፚጜጞፘቘ</i> ቖጜ	ु० <u>८७</u> ८.स.स.	2577 1122 267 <i>8</i> 1122	<u> </u>	శ్రీ జిల్లెచిక <b>ు</b> కార్తి సి	288833555 2555
### 12 12 17 12 17 17 12 17 17 17 17 17 17 17 17 17 17 17 17 17	olovas Left Right	25.75 7.75	59 59	288	77	85. 138	011 02	23.8	1905 1905	<b>#</b> 51	
If, 1-ft 1-ft 1.5 1.5 0.4 0.0 0.1 11.3 8.4 8.7 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	Hifte Hifte Underwear	<b>u</b> ,	, <b>o</b>	۰	ដ	CI .	•	2	દા	11	8
Factores 2.936 0.822 1.069 0.357 1.064 1.241 1.663 1.346 0.939  1 quantity of similarity lided up on jacket, troussers, and glove.  Keup factor equals persont of the ground contemination picked up on the uniform per mater of traverseil.	Skin	<b>9</b> 9 .	9 H O	00 0 47 6	3.0	6.0	<b>6</b> H	80 E	\$ \$ 6 \$ 2 \$ 5	2.0	1.0 6.17
al quantity of similant picked up on jacket, trometrs, and plove. Hewy factor equals persent of the ground contemination picked up on the uniform per meter of traverse.	Turkie Plakije Factories	3.936	673 0.822	1.069	1072 0.357	190"1	312T	17 E	0511 1,316	5553	2848
	#BoakKsi *Total que taty of similant picted **Pick-up factor equals present of	d up on Jacket the ground on	offermination picke	laye.	1	of traversal.				17.1	

115						TABLE 3						
Column   C	## (1994)   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995   1995	18 July 1957			A Section		· · · · · · · · · · · · · · · · · · ·		j · · · ·		State of Laboratory	
Shoulden't Ricked by (Mp.) on 'Arricons Sections of California  372	Standard Price of Parketon   Standard Filested up (age) on Various Santian of California   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975   1975	Test Subject Ref (in.) Ref (in.) Ref (in.) Unito gs No. Contemination Dessity (g./eq.m.) Evertal Size (g./eq.m.) Triversal Tire (min sec.)		1.30 2.30 2.50	ិសនិដ <b>្ឋិ</b> ស្រួងក្នុងស្វី	य 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	- 623 425°	<u> </u>	-285××2	ా సైకే స్ట్రామ్స్ట్	* ٢ % ㅋ % %	28 2 1 E.S.
County bull,   Coun	Comparison	Location of Pick-Up		Junis	Picked up	on Various	octions of Unifor	l _			i.	
1	Lower Addrson, Laft	desert laft Chast, right Chast, right Chast, right Upper Abdown, laft Upper Abdown, right Upper Ara, laft Upper Ara, laft Elbow, laft Elbow, laft Formars, lift Formars, right	\$\$5.83.338.22 \$\$5.83.388.22	፠፞፞፞ዼጜጜጜዹኇ፟፠ኇ፟ፘ፟	* 35282253	23 25 25 25 25 25 25 25 25 25 25 25 25 25	<u> </u>	*#####################################	28 68 88 68 68 68 68 68 68 68 68 68 68 68	\$ <b>\$</b> ###\$\$\$	<b>%4</b> 2430 <b>2</b> 433	<b>33253483</b>
13   306   17   110   356   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550   550		from are Lower Abdoman, left Lower Abdoman, right Thigh, left Thigh, left Knew, left Lower leg, left Lower leg, left Lower leg, left	35 <u>8</u> 33°25	35,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738 5,738	្តែក្រុងប្រក្នុងក្នុង ក្រុងប្រកួតក្នុង	2 <b>88888</b> 2	\$ 25 2 2 3 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	48 48 48 48 48 48 48 48 48 48 48 48 48 4	%%	, 55 y 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	55233354 57333354	<b>£3</b> 4833333
Althonous 25 37 94 34 hb ho 75 59 56 50 50 50 50 50 50 50 50 50 50 50 50 50	String   S	Olores Left Rught	316 361	38. 28.	·	ा । भा	¥,£	\$ 50 50 50 50 50 50 50 50 50 50 50 50 50 5	\$ \$\$	\$ 2 8 %	* * * * * * * * * * * * * * * * * * *	* % <del>§</del>
ndervaer  Outf, laft  Outf, right  Outf, rig	Underwar  Oulf, laft Culf, right Culf, rig	Miscallaneous Rifle	, X	242	37	72	<b>#</b>	. •	្ន	, ye.	, &	8
0.1 1.44 1.1 2.44 4.2 0.5 7.7 2.7 5.1  ###################################	1.0	Underwaar Guff, left Guff, right	و. 12 4	to 	प <b>ा</b> प्राप्त	26.0 129.0	စာ <u>း</u> ပေ		Ž,	9.6 3.55	0.50	1.9 6.1
L731 1232 5129 5050 7331 3844 <b>621</b> 1 1501 6216 1536 1536 1500 1501 1501 1501 1501 1501 1501 150	1/71   1233   5199   5590   7331   3844   6224   1552   6225   1.035   1.035   1.035   0.879   0.879   2.593   0.673   1.274   0.936   1.359      Company of the control con	Sichn	0.1	1,01	1,1	4°2	h.2	5.0	7.7	7.2	5.1	- C
	With quantity of atmulant picked up on landul, trousers, and glowes.  There is a mail percent of the grown or tentostice ricked on a file uniform her actor.	Wick-Up Factor**	1,035	7333 0.493	5199	5250 0.879	7331	38th c.573	621 1,27	1,563.	8228 1,359	7450

18 July 1957

165 165 12,2 390 3-10
-220 x X 2
7.23 5.5 8. E.
* 922±48
~4833±2€
* కార్లెజ్ ్ స్ట్రాగ్స్ కార్లెజ్ ్ స్ట్రాగ్స్
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1 65 150 25 25 265 7-17
# 20 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
(*be/*)
Test Subject set pt (its) dept (its) dept (its) Joursemmisson Dematy (g./e Particle Sus (g. ft) Proversal Time (its) = 200.

Sinclast Ploked 31 (mg.) on Varifous Joseph John John John Joseph July (mg.) on Varifous July (	Company   Comp	ade gr (12e.) Ade(Pri (12e.) Contamination Dematty (g./eq.a.) Partiolo Sime (p. 170)	క్షాత్రాహ్హ	.៥৯ <b>.ភីស៊</b> ូ	_ 	క్లాక <sup>్ల</sup> ్లో	33.1% <b>.</b>	Rade L	፟ቔጜ <b>፞</b> ቖ፞ዿ፝		8.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 × 5.0 ×
1	1	Inversal line (ain mc.) Location of Pick-Up		Sim	Lact Picked og (m	g.) on Various	actions of Unif-				
10   10   10   10   10   10   10   10	10	Jacket					-		į		
100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100   100	19   19   19   19   19   19   19   19	Chest, left	쥕	<b>≭</b> ≈7	æ.ঈ.	<u>8</u> .E	15 V.	ጵ፭፥	មួធ		Q <b>£</b> `8
1	1	Upper Abdeser, laft	를 <b>있</b>	Ç, ĘŢ	કુટ્ટ	21.4 21.5	387	: :::	3 <b>%</b>		35
1	1	Upper Am, 1sft	К.	<b>ያ</b> •	29	ថ្ង	230 37	15u 81	69		3.8
1	1	upper Arm, mgr.	<b>3</b>	253	9°	. Z	35.5	፠	ક્રેફ્રે		163
1	1	Elbov, right Foresty, left	28.5 7.87	6 k	ξŽ,	356	នួនូវ	32	E.		25. 25.
11. 1.76 21. 27. 27. 27. 27. 27. 27. 27. 27. 27. 27	10	Porsarm, right	151	9	ž	<b>5</b> 13	ē	ī,	Ē.		ŝ
1	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	Trous are:									ì
10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	Lower Abdomen, left	95	Ä	50	£17 935	8.3	23.5 23.6	<b>2</b> %		ğZ.
114	11. 12. 12. 12. 12. 12. 12. 12. 12. 12.	Lower Abdomen, M.Cht. Thich. 12ft	Ŕ	Ş	ेनू	Ę	642	a ș	<b>3</b> 5		ጟዿ
114 124 135 146 156 147 156 146 156 146 156 146 156 146 156 146 156 146 156 146 156 146 156 146 156 146 156 156 156 156 156 156 156 156 156 15	11 12 12 12 12 12 12 12 12 12 12 12 12 1	Inga, right	i i	3 8	0#	272 273	557		ig.		13:
115 116 119 119 119 119 119 119 119 119 119	115 106 119 119 119 119 119 119 119 119 119 11	Mine a state of the state of th		กั:	\$5	32 FA	₹ <b>%</b>	85	533 183		ភន្ន
235 206 2.6 11. 36. 306 2.6 11. 36. 306 2.6 11. 36. 306 2.6 11. 36. 306 2.6 11. 36. 306 2.6 11. 36. 306 2.6 11. 36. 36. 36. 36. 36. 36. 36. 36. 36. 36	25 206 26 110 360 550 25 27 211 120 360 550 25 27 211 120 360 550 25 257 211 120 250 6.8 256 256 111 120 250 6.8 256 256 112 2250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 256 256 112 1250 6.8 2	Lower Lag, right	Ē	<b>न्ह</b> ें	ıçı	121	S.	14.3	ភ្នំ		287
135   206   247   117   369   550     136   217   217   210   550     136   217   211   211     136   217   211   211     136   217   211     136   217   211     136   217   211     137   213   213     138   215   215     138   215   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215     138   215	135   306   247   117   369   550	Glores		_		•					,
1966	1966 C. 27 24 34 34 34 34 34 34 34 34 34 34 34 34 34	# <del> </del>	Ħ.	8,2	). *[[¢	ii ii	ž Š	<b>3</b> 5	\$\$.		2 K
10.0	100 0.00 0.00 0.00 0.00 0.00 0.00 0.00	26	}	• ·········	;						
	17	Miscelleneous	٠.	. ::			,		:		¥
Duff, laft 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	Late 1.015 0.08  Late 1.015 0.08  Late 1.015 0.09	Rifte	23		£-,	-7.	뤼		ង្ន		6
Cuff, 19ft 73 11.1 129.0 0.8 Cuff, 18ft 73 1.1 1.29.0 0.8 Cuff, 18ft 1.1 1.29.0 0.8 Cuff, 18ft 1.1 1.29.0 0.9 Cuff, 18ft 1.2 1.29 Cuff, 18ft 1.29 0.8 Cuff, 18ft 1.29	Auff, Tager 75 11.1 70.0 0.8  Auff, Tager 6.1 1.1 1.2 0.0  Auff, Tager 75 1.2 0.5  But 1.7 1.1 1.1 1.1 1.2 0.5  Fratoree 1.0.2 0.0  But 0.879 1.221 0.672	Underwar	1.4								
1,1 1,1 1,4 1,5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.	Factores 1,075 0,897 0,897 1,123 0,672 1,1	Cuff, left	ရာလ င်းကို :	- p:	17. 17. 17.	26.0 129.0	ရာ ႏ ပေ		r. Ca		52.6 52.6
1,012 1333 5199 5050 1331 3844 14.031 0.672 3	Figures 1.035 5199 5750 7331 3844		<u> </u>	1-1	1,1	40	h.2	5,5	7.1		2.7
1,025 0,439 0,904 0,879 1,221 0,672	Factor** 11.015 0.159 4.904 0.979, 11.291 0.672		. F	2234	\$199	525	331	3844	,4 <b>12</b> 9		1501
0.015 0.015 0.001 0.017, 4.021 0.012	Factores 0.577 4.221 4.221 4.221		į				į	,	*		760 0
	DAM II.	Pick-Up Factor**	1,025	587°C	9°80F	0.973	16:31	£) 0°5	10C 18	-	

ዿቜ፞፞፞ዼቜቜቜቜቜ

8 5 4

1.9 1.9.6 °.

ASKESESESS

CONTRACTOR

eletal opasitity of atmulant picked up to from the first and blower.

	452 6 5 5 4 5 6 6 5 5 5	್ಷ ಚಿತ್ರಗಳ ಅಭಿಕೃತ್ವವರ್ಷ	<u> </u>	42-43 6-2%	~	3.00 3.00 3.00 3.00 5.00 5.00 5.00 5.00	
1	తినే కి.మీ. కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి.మీ.కి	वेद्य <i>ेस</i> ्थ्यस्थ्य	eastestes ##	gp A	ev .	2.1 2.0 1015 1.035	
	28848	प्रसा <sup>ति ।</sup> ०० <b>६</b> दीवैक	មិន្តន <b>ុ</b> ដ្ឋិនធន្ត	ELS:	•	25.1 2011 2022 0.317	
	కచెన్ని క్రే	3847 <sub>6</sub> 52283	<u> </u>	<b>E.3</b>	<b>.:</b>	10-1 10-1 1342 0-579	
	៩១៩៩ <u>១៩</u>	ದ್ವಜ್ಞಾಂಚಿಜ್ಞಾ	<b>8</b> 위원하고공의	# <u>3</u>	•	0.0 0.0 0.0 0.0 0.0 0.0 0.0	
7	25.2 2.2 2.5 2.5 2.5 2.5 2.5 2.5 2.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3	ភ <b>ង</b> េងក្រុង	3128631a	£ #	~	1.5	
	- 32 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	5.4%25co%+24	តិសិតដ <u>ិ</u> សដ្ឋាដ្ឋា	พส	<b></b>	3.7 368 0.383	
		»អ៊ីដីជីពី (ម៉ាងព្ <b>ខ</b> ្ព	机器化物量器超过	21 <b>25</b>	** 	200 A C	nd 113ves.
	25 C	គ្ន <b>់ស</b> ្ត្រស <sub>ិ</sub> ក្សប្បក្នុក្ត	Section of Section	cia.	# <b>3</b> *	5.3 0.5 1712 1.2%	Set, tronsers, a
	43 % S	<i>មាត់ប្រជ</i> ាក់ <b>ក្នុង</b> ធន	್ವೆದ್ದೆ ಹೆಚ್ಚೆ ಇಳಿಸಿ ನಿನ್ನ ಪಾ		14. <b>5</b>	7.5 7.7 7.7 7.7 901.1	placed up on the
20 100	description of the control of the co			**************************************	described and seek an	Control of the contro	No whit: #Total quantity of simulate pisced up ##Parkeup Jactar equals present of the

					TABLE L							
				EL CREEP	NO CRAWL IRLALI	vo. 4	1			And the second second second second	The second secon	A STATE OF THE STA
27 October 1,57	The state of the s				A control of the same of the s			The second secon				
The same of the sa			**********				*******	Service Services				
Tast Sunject		69 175	155	75. 165 21		67 165	72	70	6.3	60	n	\\ \
Waint (1%) "Uniform No.  Contamination Density (7./s		3•€3 —— 	89 9.67	21 0.35	25 25	27	51 1,28	150 95	200 83 2•06	140 25 202	3°00 7€2 7€2	
Particle of () (10) Traversal Tito (11) - 100.		595	595 9-10	60 <b>5</b>	0.9L 605 <b>3–3</b> 5	590 2-20	5.00 2.115	3.06 660 8 <b>-2</b> 0	\$60 2.11	້າກາດ ເຂົ້ອ <b>-30</b>	ب•ر زیری	•
Longition of Pick-Op	de-				ng.) na Yari wa							- 19 /
'9C+ 21		<b></b> : <b> : -</b> : - : - : :	•• • • • • • • • • • • • • • • • • • • •	<del></del>			<u>-</u>	* * * * * * * * * * * * * * * * * * *		· ·	<u></u>	
Josef , loit Spot, rept		55 24	11h g	16 12	21 21:	1,1 - 22	21 22	71	35 11	1.° 1.1	71	
្រីពីភពពី ១ ប្រឹក ប៉ុន្តាក្រុង ភេសិស្សិន ពេលពី	1	18) 70	11 <sup>2</sup>	16 17 11 13	2 <u>1</u> 19 0	13	?? 19 25	71 L:	35 151 30	36	37	
for Am, left		0	ç	0	0	Ō	o	0	6 C	5 0	e e	·
and the later		12) <b>2</b> ?	166 125 15	15 23 20	· 25	16 11	1.7 25	47 63	76 64 214 36	11 23 26	1.9	
ಪ್ರವಾಣಕ್ಕೆ ಕೆಟ್ಟಿಗಳು ನೀಡಲಾಗ್ಕಾ ಕೇಗಳ ಕಂಗಲಾಗ್ಕಾ ಸ್ವಾತಿ		եր 30	117 51	20 17	1/ P	11 2) 15	2^ 19	63 136 62	11.4 36	96 37	61 37	
s Trister											A second	
រាធារៈ សក់ធារធារ (១១៣ ភ្នំពេញ សក់ធារធារ (ពួក្សា ខេរិស្សា)	:	30 h	<b>3</b> ∩8	39	3.¢ 36	1. 1.5 2.7	<b>2</b> 0	155 176	12.00 63	77	\ £:	
The first terms of the second		9 <u>1.</u> 31.	108 128 65 72	%€ 24		29 12	15	91 <u>.</u>	67 56	79	31.	
Are your 18th	* - *	1.2	<b>6</b> 9	39 23 76 29 31 32 16	* *** * 13	29 12 52• 15 15	15 27 34 15	113	111 %	77 65	67 34 50 75 55 13	
154 6 6 154 4 15 05 64 64		96 51 21	91. 1.: 58	16 12	25 25 26 21 25 25 25 25 25 25 25 25 25 25 25 25 25	1° 15		91 91 91 91	111 96 12 10	77 62 79 11 77 65 37	ij L	3
,	1					_	\(\frac{1}{2}\)	•				
. Lieter in the contract of t	Ü	77	101	12 33	75 11	72 16	. j.	57 15	71 95	100	3 <del>9</del> 75	
		77	č2	33	14	16	L5	L LS	<b>∜</b> 5	T <del>:</del>	73	
्रास्त्र विक्रमा क्षेत्र विक्रमा क्षेत्र विक्रमा क्षेत्र विक्रमा क्षेत्र विक्रमा क्षेत्र विक्रमा क्षेत्र विक्रम			,				1			2	. 2	
94413	••	7	. 4		1	2	; <b>3</b>	4	<b>.</b>			
Content (1955)		1.8		2.5	0 • · · · · · · · · · · · · · · · ·	1.5	الم		1 <b>.ć</b>	ىلو2	1.8	
Grand last Grand last	3	1.8 2.7	5 <b>.3</b>	2.7	o.L	0.6	0.4 1.9	1.1 1.1	2.1	2.3	3.1	
1.1 <b>.1</b>		11,77	1712	374	<b>36</b> 8	193	135	13/15	1755	1045	814.	
Fick-Up Factor**	W	1,106	1.252	c•:38	.0.263	0.770	0,675	0.575	0.917	1.035	0.632	

REPARKS:

<sup>\*</sup>Total quantity of simulant picked up on jacket, trousers, and gloves.
\*\*Pick-up factor equals percent of the ground contamination picked up on the uniform per mater of traversal.

			CHSEP A	A'D GRAVE TRIAL NO.	<b>M</b>				ر المراجع المر المراجع المراجع المراج
10 February 1953		•			•		- 1		
Test Subject Heigr (in.) Weight (ib.)	# 65 XX o	-28:	7.55	ુદ્ધુલ	= 55 55 #	±30g.5	.e ga		- ឧន្ត¥
Unitorm Hos. Containmation Denuty (g./si.m.) Particle Size (m. MAD) Travermal Time (min sec.)	5.66 1550 3-12	358 128 128	6.27 1100 3-18	6.15 11.00 3-30	- 2 a 1	55.9 1100 11.0	7.09 1300 14.13		551 851
Location of Ficketip		Simu]	ant Picked up la	Simulant Picked up (ag.) on Various Sections of Uniform	tions of Unifor	P			
Majorit Laft Chest, laft Chest, right Viper Abdoms, left Viper Abdoms, left Upper Arm, laft Upper Arm, laft Liber, laft Liber, laft Forest, laft Forest, right Forest, right	∞ ኛ፭ ይ° አጻ <i>ጸሕለ</i>	<b>ช</b> ธิวีสุขะ คิธิคข	<i>ម</i> មស៊ីសី <i>^ស</i> នីទមនី	<u>ዻኯቒ</u> ፞፞ዿኯዄኇዄዀ፠	ይ <mark>ጸጓ፪</mark> ሞኮሊቲወጥ	<b>ጜ</b> ቌ፞፞፞፞፞፞ዿዿጙ <sub>ዹ</sub> ጷዹጜጜጜ	<b>~</b> ~፠ኯጛ <b>^8፟</b> ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፠ዿቜ	n sa sameda j	มมนสห⊐๕๕ะฐิ
Irousers Lower Abdorses, laft	170	a	शर	7.	8	O <sub>S</sub> C	Æ		185
Lower Abdomen, right Thigh, laft This, right Knee, laft Knee, right Lower lags, laft Lower lags, laft	89282AA	ዿ፟፟፟፟፟ፚጟ፞፞፞፞፞ጜ፠ዾ	3 <i>88283</i> 3	2×3c2×	ក្នុន្នក <u>ព</u> ្ធក្នុង <b>ខ</b>	25 1 25 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	ឧង្គឧង្គន	e e	ಚಿತ್ರಜಾಜಿ
Gloves									
15.00 M	48.0	ឯង	123	123	58	1352	38		140
Miscella naous									
RIG.	 •	m	1	w	.a	ន	m		9
Underneer							÷		
Cuff, 1sft Cuff, right Libor			4		거되었	8 H W	H80 F		<b>а</b> н
Sktn			0.1		. 0	0.3	,		40
TO TALE	£17	882	1682	1523	1202	2700	11.8		8
Pick-Up Fector**	1520	11°0	0.503	0,484	19 <b>6</b> °0	0.818	0,331		0.3%
				1					

CUNTIDENTIAL

Wictal quantity of eightland picked up on jecket, "to were, and picked up on the uniform per meter of tampereel, wellokeup fector equals purcent of the ground contamination picked up on the uniform per meter of tampereel, MOTES Trial performed on fromen tears in at ground timperstune off.

Pick-Up Factors REMARKS:

TABLE 5

CREEP AND CRAWL TRIAL NO. 5

10 February 1950	ζ.
------------------	----

		i.		19					
Test Subject Height (in.) Weight (lb.) Uniform No. Contamination Density (g./eq.m.) Particle Size (n. M.D) Traversal Time (min sec.)	69 155 8 5.66 1\$50	72 200 77 5.66 1500 1-22	67 135 7 6.29 1100 3-18	0 75 135 57 6.29 1400 3-30	67 135 78 6.59 1100 5-10	69 200 63 6.59 1100 5-40	72 190 67 7.09 1300 he18	E 70 180 86 7.09 1300 1,=1,8	
Location of Fick-Up			nt Picked up (ng.		<del></del>		lie11	<b>4</b> ~10	<del>-</del>
Jacket				,	or o	-		. !: .	<del></del>
Gnest, left Chest, right Upper Abdomen, left Upper Abdomen, right Upper Arm, left Upper Arm, right Slow, left Slow, right Formarm, left Formarm, right	8 9 15 26 15 55 55	5 21 11 11 5 5 27 21 21 22	39 21 105 175 6 55 105 19 55 106	13 26 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	5 8 11 25 1 10 95 179	91 43 206 101 32 9 302 79 129 54	9 6 36 12 10 6 100 51 61	15 18 31 15 35 1 92 97 70 109	
Irous ers			4				•		
Lower Abdomm, left Lower Abdomen, right Thigh, left Thigh, right Knee, left Knee, right Lower Leg, left Lower Leg, right	100 83 40 42 18 27 11	119 100 89 117 51 86 25	110 210 52 58 67 90 45	1/1 216 86 112 61 67 86 95	98 101 38 101 115 27 27	380 79 309 117 284 103 54 31	276 50 134 51 71 66 55	185 83 116 130 87 69 68 29	
ilo vos									
Laft Right	દ્ધ 67	13 59	123 106	137 1 <b>2</b> 6	61 92	162 135	64 . 89	60 37	
Miscella mous			• ,			•			
Rifle	6	3	7	5	1,	<b>10</b>	3	6	<b>M</b> i
Underwear								•	
Cuff, left Cuff, right blbow			•		1 10 126	2 1 85	1 8 7	. 1	
<b>Ski</b> n			0.4	:	. 0.1	0.3		0.4	4.4
TO TA L	פודי	882	1582	1523	1202	2700	1175	13 50	
Pick-Up Factor**	0 <b>,</b> 25h	0.311	0.503	0.184	0.36h	0.818	0.331	0.381	

NOTE: Trial performed on frozen terrain at ground temperature of.

\*Total quantity of simulant picked up on jacket, trousers, and gloves.
\*\*Pick-up festor equals parent of the ground contamination picked up on the uniform per mater of traversal.

CUNFIDENTIAL

1.15	
213 1	
4.5	
i fe	
15.37	. 10
2.5	100
	~~*
4 1	≃!
	اد. ا
1000	
4.1	
ENTIA	FRIAI
ن الشا	. EI
	1
	al - al
-	11.51
	SI >
	31 21
-	#D CR
-	
Z	. 77
	. 'aa'
:	
	· h_
	. 53
34 1	34
18.4	. 223
and the same	. (3)
25. 5	- 7
* *	
33.1	
- 21	
	1
	de.

10 February 1958

* 58% 2527		<u>አ</u> äሣሽሦ <sup>¬</sup> ኖድቴጀ	និង <b>ងី</b> មិន៦និ <i>ម</i>	37.	<b>vo</b> .	ਜਜ	4 F	0.38 18.0	
120 130 130 130 130		<b>~~</b> ፠ጜጜኯ <b>ዸ፝፞፞፞</b> ዿ <b>ኇ</b> ፚ	፠ኇጟጜዾጜኯ	39 <b>6</b> 0	•	H&F-	)	e.s	,
*&&&&&& \$\$ \$\$		<u>ૡ૱ૹ૽ૼૡઌૹ૿ઌૹૡ</u>	र्ड ५ ड्रिस्ट्र <u>स्</u>	ZZ.	9	6 A B)	6.3	0.838	
25.5 25.5 25.0 00.1 01.2	as of Uniforms	గాలచన <b>ావెఫ్రి</b> శిశ్వ	፠ኇዿ፠ዿ <b>ጟ</b> ጜ <b>ĸ</b>	<b>3</b> &	<b>a</b>	- 2%	T.0 ·	196.0	#1.
- 52 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	on Various Dections of Uniforms	<b>ታ</b> ላጀሩርያ//\$ዀኈ <u></u>	58*35 <b>2</b> %	15.	un.			1523 0.bsh	or motor of travers
2 67 7 69 7 69 1100 1100	Similant Picked up [mg.) on	<i>ង</i> មន្តិសិ <i>° ន</i> ដី <i>3ន</i> ដី	<b>ጟ፟፟፟፟፟፟፟፟</b> ጀ፞፞፞፞፠፠ኇ <i>ጜ</i> ፞ቖ፞፞፞፞ቖ	123		,	न•°०	1582 0.503	a the uniform pe
1285 2385 2385 2385 2385 2385 2385 2385 2	Sterila	<b>ช</b> ธิลัสมนาเลิส <b>ธ</b>	38224882	51 69	n				temperature 09. wears, and glower
# 353 × 354 V		<i>∞ ኛ፯ૄ႘</i> ፨፞፞፠፞፠፠ <i>ቜዂ</i>	<b>ខ្លួនទទ</b> ន់ងដ ី	- কু কু ১	•			F W	n terrain at ground ad up on jacket, tr f the ground contamn
Test Dubject Haight (In.) Watgert (In.) Uniform to.) Contemination Density (g./si.*) Par kin Se kas (h. %) Previous I illust (sin. * sec.)	Location of Pickely	Gnest, laft Gnest, laft Gnest, laft Upper Abbons, laft Upper Abbons, laft Upper Am, laft Upper Am, right Upper Upp	Irolaste Abdoom, left Lower Abdoom, left Lower Abdoom, right finish, left Knas, left Knas, left Lower Less left Lower Less light	Ulored Larr High	Miscella nocus Rifle	Underwear Cuff, left Guff, right klow	Sich	To In Le Pankally Rectores	MODES Trial performed on frozen tears in at ground temperature 0°c.  *Total quantity of similarit picked up on jacket, in users, and gloves.  *Picked up on the pricant of the ground contemination placked up on the uniform per meter of traversel.

7	
the second	- 32x 48x
, f	7 7.40
V	·
	'
***	284288
	- 25 4 4 4 8 8
l gase d	
la viri	200 488
	* 22 ~ 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
y <b>≜</b> j⊈	1 1
	00488
	581.2 % 01-1
Services	1 . 1
	01
	#2844 <u>257</u>
	1
Commence of the Commence of th	
اه	
Ş.	~ #8848 <u>7</u>
- <u>-</u> - 13	
CONFIDENTIAL TABLE 6 PRET AND GRAFF HEAL	1 1
NA LINA	6 0
	-88528
8 3	
) <u>Sas</u>	
	-2 X - 2 2 3
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
The state of the s	1 1
<u> 1, </u>	_ [
	Fr.75 8 8 3 3
	<b>.</b>
CONTRACTOR OF THE PERSON OF TH	+ 223.9 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	7 3-0
# #	
	i
	3
Last.	1 3
The second secon	first Subject 444(ht. lin.) 444(ht. lin.) 744(ht. lin.)
1	<u>₽</u> 9 4
, øg	1 1
February 195	it () (a. Density (a. 'i-fi) (ire (min.
<u> </u>	844847
p	ust Subjected for the subjection of the subjecti
	last Subject flat (in.) 445 git (in.) 450 git (in.) 600 gi
	· PRESIDEN

Location of Pickelp

Jacket

E sanca:

*32% \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	4-223525 6556-342-6	<b>238788</b> 88	93
25 24 25 25 25 25 25 25 25 25 25 25 25 25 25	133488E13868	85558 8555 855 855 855 855 855 855 855	£6
* 25 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5	485888843 688888	<b>33384</b> 4488	<b>38</b>
282 282 203 200 1-1	ತಿ8೭೩೫೩೮ಇಇಡೆ≍	111 6 122 123 6 120 123 6	22
200 200 71 71 3,9h 1100 5-55	జనవికల <sup>ా</sup> ఇన <i>స్ట్</i> ల	<u>६५५२</u> ५०००५५५	<b>Z</b>
76 130 80 13,94 1100 14-35 14-35	ద్రాజ్యా కార్యాన్ల	स्या <u>र</u> हात्र बर	ងដ
	**************************************	3252885528	ដូឡ
5,53 135 135 130 130 130 6-0 7-43 5-10-10-10-10-10-10-10-10-10-10-10-10-10-	<u>ಇಬ್ಬೆಕ್ಕಾರಿನಿಕ್ಕಾ</u>	<b>%</b>	200
25.25 200 200 200 200 200 200 200 200 200 2	ㅋ~జౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢౢ	n se	নুহা ১৯
25.55.55.55.55.55.55.55.55.55.55.55.55.5	ጟ <i>ዾ፠ጜጜጜጜ</i> ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟	2544×5088	75.
)*************************************			

eflotal quagetty of similant picken up on jacket, trowser, and glores.

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

CONFIDENTIAL

The state of the s

33ft 1,229

1,000

1962

21.74

₹98.0

272 0.805

2330 0.143

1641

Pick-Up Factores

REVARES.

1691

2729 0.988

ار ا

٠ •

Cuff, laft

Schn

ded serves

Historian sous

B1f.10

15 E

24.07

2143

11 February 1953	n agil Lahara Raji				THE CHANGE THE STATE OF THE STA	TRIAL NO. 6					
Tast Subject Had for (in.) Maight (ib.) Uniform No. Contamination Density (g./m.m.) Particle Size (m. 40) Traversa I'm. (min sec.)		7.52.4.88.5 5.00 5.00 5.00 5.00 5.00 5.00 5.00	P 6 2 8 2 3 3	P 25 4 25 5 3	128 E E E	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	*9.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4.85 × 4	* 582 283 801 801	2 69 25 20 20 20 20 20 20 20 20 20 20 20 20 20	185 185 1100 1100 25,2	**************************************
Load on of Pick-ip				Similant Picked-up	-	rieze Section	of Uniforms		a see a		2
Jacket Comet, Left Comet, Left Upor Aldone, 1.oft U		द <b>्रश्चरश्चर स्टब्र</b> हेड	34880383848	454585358	x183x-Zaga	500544456353	జనవెక్క <b>ావస్</b> ట	ತ <i>೩</i> ೭೩೩೩೩೩೪೪೪೪	2 <b>653</b> 3888348	23 <b>32222</b>	4-8ee-3e83
Trougers Lower Abdomen, left Lower Abdomen, right This, left This, if the Knee, laft Knee, laft Lower led, left Lower led, right		ప్రొడ్డిగుళిశుగుల	445 34cc	<b>%</b>	<b>3</b> 855885538	KNASTIASE	2528232 2528232	Park Park	833844 <b>88</b>	85888888 8688888	ebracez
TOWN THE		<b>15 19</b>	401 ₹2	88	212	ឧដ្ឋ	<b>18</b>	86.88	역원	<b>S</b> S	95
ritscellan ao us Ricia		•	•		,; 	:	Ş	<b>3</b>	-	×	ş
Guff, 1eft Guff, right		24	· · ·	g a sesquence		215	NH.	641	•	н% .	
Sida To tule		7 THE	330	2,72	χ. <b>1</b>	<b>3</b> 7691	6.9 2174	१५०	2.5 19 <b>02</b>	3 %	भूत
Pick-Up Eactor##		0,613	o.ths	896*3	508.0	0,862	1,106	0.882	\$15°0	1,000	£22"
Wickel quantity of similant percentering percent	t of the	on jackst, t	rons sin, and address and addr	d glaves. oked up on the r	uniform per mete	r of tuversal					

March   Marc	17 March 1,958									1 · · · · · · · · · · · · · · · · · · ·	
10	Test Subject. Height (In.) Height (In.) Height (In.) Height (In.) Height (In.) Height (In.) Contemnation Density (g./eq.m.) Threates (In.) Threates (In.)	* 2511 26 54 54 54 54 54 54 54 54 54 54 54 54 54	25.00 25.00 25.11	- <i>paga</i>	**************************************	~882 282 293	- ፠ዿ <i></i> ዾኇ፝ዿ፟ዿ፝	25.53 88.53 88.53 88.53 88.53 88.53 88.53	- 23 23 25 25 25 25 25 25 25 25 25 25 25 25 25	<u> </u>	
	n of Pine-Up		1	Stanfant Pioked	oo (agu) din	Sections	5				-
State   Stat	Genet, 1oft Chast, infit Chast, infit Upper Addorsn, right Upper Addorsn, right Upper Ama, right Ellow, right Silve, right Fersors, right	34 <u>5</u> 34•533	చి <i>ంక్ట్ షట్గాక్టిటెం</i> శే	บษฎีรัติพรู้เนียร	- ode • ad z z = «	~~귳급ㅇ뇩셠껿궠윘	ជ <b>្</b> គក់កើតបង្គីទី១១	% <b>4</b> 83~~3838	្គស <b>ខី</b> ವೆපਖ <i>ಸ</i> ಶೆಜತ	E~3E~38##	
1.27   1.17   1.17   1.18   2.2   1.16   7.7   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.15   1.	war Abdos war Abdos Left, left Left, stell war Left, war Left,	ដដ្ឋមន្តិដន្ត	를 차를 자음을 모게 기타하는 기타기 기타기 기타기 기타기 기타기 기타기 기타기 기타기 기타기 기타	250 44 50 50 44 50 50 50 50 50 50 50 50 50 50 50 50 50	द <i>พท</i> ชชชัชสะ	835 <b>33</b> 355	, 0000879v1	KE3822PE5	######################################	និឧងភននិសម	. 1
th high edge 13.5 5 9 1 11 9 9  th high edge 13.5 15. 15. 24. 25. 25. 11 9  th high edge 13.5 15. 25. 25. 16.1 13.7 14. 25. 25. 15. 15. 25. 25. 25. 25. 25. 25. 25. 25. 25. 2	Oloms Luft Rught	15 <b>%</b>	2002	107	981	33	<b>29</b>	22	48 211	283	
11. 11. 11. 11. 11. 11. 11. 11. 11. 11.	RATIO		Я	· *	ฆ	vs	٠.	п	<b>6.</b>	<b>ភ</b>	
2311 2265 1871 1378 1478 660 1402 1301 0.719 0.710 0.636 0.169 0.469 0.4508 0.581	ं हैं	<b>4</b> 5	<b>18</b> 9	78	± 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	9.F 6.H		kn s	3 A	*\$	-
	TCLL.	23th	0.70 0.70	187.	1378 0.469	509*0	0,039	1102	1301	1234	

			-	٦.
- 1	42			
ł				
- 1	V	I	,	41
L				
		_		

			, , , ,						5 A.,	
Tank Sofiger Heaght (In.) Heaght (In.) Onite minutes (In.) Harts in State (In.) The state (In.)	F & K & & & & & & & & & & & & & & & & &	* <u> </u>	- <b>ភ</b> និងង <b>្គឺ</b> វិ	* 22k#2	rs22	28 <i>፦ ቪ</i> ႘ၟႝ	* 5 5 8 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~ 2 A 2 3 8 8 8 8 8	<u>-៩៩៩ភិទ្ធិភ</u> ិ	1000
Leation of Plus Do			T B	e)	Sections	of Uniforms				
Chest, latt Chest, latt Chest, latt Uper Addonen, left Upper Addonen, right Upper Amp, left Upper Amp, laft Upper Amp, laft Upper Amp, laft Upper Amp, right Stown, right Foreura, laft	######################################	చలప్రక్షాలు చిత్రికి కా	កកម្ពុជនក្រុខដូត្តនិត	20 14 16 16 16 16 16 16 16 16 16 16 16 16 16	~∾శ్రవం⊣బ్ <b>డె</b> చేస్త	7482co85co	%4 #2 # 4 2 E E E E E E E E E E E E E E E E E E	ะหรัสยาหัสร	e-4e-88844	*
Trons ers	)				. 1	•	;	; ,:>	:	
Lower Abdoms, 1871 Lower Abdoms, right Fringle, right Kneep, laft Kneep, laft Lower Left, left Lower Left, right	<u> </u>	REFSPER	883 44885 EE	12	#3### <sub>6#</sub>	ంంలక <sub>్స్</sub> స్టాబ్త	23428 <b>8</b> 24	<b>182222</b> 41	<i>ቜጜቔቘቘቔጜ</i> ቔ	
Gloves	- : "		~	٠		y			1	
Luty Right	នុង	11 & 26 &	8. 181	35 88 88	<b>23</b>	77	ድድ	49 ZI	£83	
Hacellars ma				-1		. =				
TLFLA		R	æ	2	'n	. <b></b> .	<b>a</b> .	۵.	ភ	
Underweer				- S.B. 1						
Guff, left. Guff, right	<b>3</b> å	44	78	Z)	ġF.	騎	ķn		e g	_
Sicin	7.0	e ot	14	9*0	0°1	2°0	6.0	۲ <b>۰</b>	-	
TOTAL	2312	23.05	កូ	1378	27.73	99	1,02	1301	1234	
Pict-Up Pactores	0.749	0.770	0.636	699°0	9,605	0°539	905.0	765*0	455°0	

HOMEs Terrain covering consisted of doad, dry, matted grass.

Wintal quantity of simulant pinked up on jacket, trouscre, and gloves. \*\*Pick-up factor equals percent of the ground contamination picked up on the mifors par seter of traversel.

CUNFIDENTIAL

e e e e e e e e e e e e e e e e e e e			SPEC S	SPEAR AND CRAFF, TREAT NO.	NO. 8	7.1				į.
14. April 1958							· · ·	į		
Tast Subject Height (in.) Height (in.) Thiftom No. Contamination Density (g./en.m.) Particle Size (du. 199)	2.3.9 2.3.9 2.0.9 2.0.9	25.23 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33 25.33	<sup>ក</sup> មន្តិល្អដ៏ខ្លី	15,5 2,5 2,5 2,5 2,5 2,5 3,5 3,5 3,5 3,5 3,5 3,5 3,5 3,5 3,5 3	5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4£25×±28	2007 1300 1300 1300 1300 1300 1300 1300 1	######################################	- 2 <u>9</u> 2,2	
Traversal Line sec.	01-1	Lelo Strolant	2-15 Pleked up	10us	Sactions of Uniforms	1	DE 2	35	515	
Rekat Chart, laft Chart, rant Upper Abdomen, laft Upper Abdomen, rant	8°°8 38.93	3°%%	ននក្នុន	re-k	8.0 2.0 2.0 2.0	3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	**************************************	2380	គមន្ទន	•
Upper Arms, act. Alock, lett. Alock, lett. Porsam, left. Forsam, left.	<b>ភ</b> ជន្លឧប្ ភ	ee3844	ភដូមីដូងនឹ	25 <b>72</b> 60	ድዋ <b>ድ</b> ድድ	- នាដន្តដូ <b>ថ</b> ក	<b>288€</b>	.X~252	ន∞ងស្និង៩ឨ	
Irousers Lower abdonen, left	<b>2</b>	ຄາ	<b>.</b>	Š	181	9 7	<b></b>	) &	3 9	
Lower Account, right Think, right Knee, right Knee, right Lower Leg, left Lower Account of	ૹઌૢૹૡૺઌૺ <i>ૡૺૺ૾</i>	2gaze <mark>&amp;</mark> g	፠፞፞፞ዼጜጜ፝ዿዸ፝ጟ	85 <b>5</b> 338	# <b>####</b> ###############################	3528 <b>45</b> 28 8 5	జరెబికెనికి 	ಇದ್ದಿ ಭಾಗನ:	, 1123223	
Gloves	7,	3	9	: :	:	3	£.	21	쿧	
Loft Right	77 881	8.7.	AL. 7.11	<b>9</b> 7	1.07 1.6	స్టిక్ట	\$ <del>\$</del>	દુકુ	12, 2,11	
Miche Mine	11	ಭ	 a	ę,	Ŕ	55	ä		ą (	
limetreat					!	,	ľ		;	
Guir, left Goff, skat Ebbos	Çe	8 800 800	यु• ८	€. e.	1,00	04.0 6.0 7.0	0.7 17.0 1.6	2.2 3.1	\$ 07. 8.02. 8.03.	
Transfer	Q.5		2.0		9,0			1,2		
Skin	450	19 19	2°0	r°.	. 1.6	0.3	0.1	. 2 0	6.0	
	8613	1213	מינו	1074	1236	1971	11211	962	1,164	
Ficked p Factores	1,816	1.024	1,380	0.829	0.939	1.622	1.253	r.781	1.108	

1	
I	<b>UM</b>
L	

27,6h 1.408

tion Density Size (M. AMD)	2 2 3 3 5 5	90	1191 15	2-30	2-20 2-20	8위 기	200	25
Traversal Ling Jrine r 500e Lizoation of Pick-lip	4-4-6	i	P	(my.) on various	on Vario's Sections of Uniforms	ome		
Jackst							¥	ŗ
Chest, laft	& 4	а.	នន	<b>≒</b>	<b>9</b> 10	90	ት ኤ.አ	7_ F
Under, Fagive Cipure Abdonen, 1 aft	87	C.F	123	4,2	28	<b>3</b> %	24	<b>ا</b> م
The or Abdomen, The Ta	85	(#.	25.	2ء	នន	នុង	2 <b></b>	<b>د</b> ۲
ligher Arm, right blight, left	38	4 <b>8</b> 4	<sup>រ</sup> ង់រ	29	1 TO E	83. E	 \$: <i>1</i> 8	ድደ
Story Hebt	ዶር	23	្តែ	÷ .	SIA:	4	8,	4
Formers, right	2	4	<b>30</b>	a.	<u>.</u>	¥ . ,	<b>5</b> ,	; ;
91-9-4Z	<del>.</del>		:	tan s		7		8
Learn abdoren, left	<b>ች</b> 2	ar Er		င် င	7. E	97	- R (	:2:
Tolera Jeff	E	3:	; F' { -	2.7	<u> </u>	200	<u>ဋ</u> ဌ	32
1 45 10 10 10 10 10 10 10 10 10 10 10 10 10	38	36.	ያሟ	i d	13.	in a	84	ರ್ಖ
	15	25	15.5	<u></u>	2,78	( <del>)</del>	36	! ਹੈ :
Lower Legs left Lower Legs right	244	្និង	<sub>l</sub> ä	. F.	ಟ	ę,	Ş.	2
O.Loyes			•			,		
3		ç.	×		ផ្ទ	The state of the s	<b>%</b> 7	E.Z
Right	3/2	6.	ŁL.	7	3	ć		;
stoens laneous		,		-			:	
RICLE	1.1	ម	ត	a	류.	<b>X</b>	đ	
l'mderwaar		-, 50	. 1				•	-
סיפני ויינג	e (	36		c	c.1	6 6 C 7	17.0	2.2
Caff, Figal Elhore	33		: - <del></del> -			3•7	)*1	4 6°
15.0 K	3.0		. 2•.		9,0		:	•
Stefa	**************************************	500	č,	٦٠,٢	1,0	0.3	1.0	3.5
T-07 8.04	21,98	iri	11:70	1074	1216	1,571	777.	736
	7.00	ę.	0.130	668 0	623	1,622	1.253	r.79h
Ficketp Factores	of Co	770.						

<u> មក្</u>សិខិត ម**គិភ**េត

CHELP AND CRAIT, THIAL NO.

W. K. Charles

				CONFIDENTIA				1		 
7	e or Percentag		77 mg	TABLE 9	I. NO. 9.					
1 April 1958 Test 5-014-of										· · ·
Hallyte (10.) Weight (10.) Uniform No.	*32°	<sub>ප</sub> ලදිදු	252 t	<b>-3</b> 2	4 42 33	- సిన్ల	67 165	285	8 67 25.	
Contained on Design (c./m.r.) Particle Size (g. c.id) Triversal Tim (min sec.)	25.50 25.10 25.10	18.55 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50 18.50	27% 136	8 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ក្នុងស្វ	2 . K	10.7 7.01	200 K	9¥°°.8	
Location of Plokelip Lanket		l " !	Simulant Pinked up	(146.)	Sections of	Uniff orms	9-9	3	95-1	
Chart, laft Chaet, rlych Unron Abdenson lafe	<b>8</b> % ?	<del> </del>	*2	175	#2	۶.۷	3	8:	+	1
Upper Abrilland, right	្តី <b>១</b> ២:	<b>ភ</b> ិទ្ធិដ	38.73	363	e e c	n (7 m.)	128 128 128 128 128 128 128 128 128 128	438E	a Ky S	
Correction more states of states of states and states of	320	755 70 70 70 70 70	282	12 <u>8</u> 5	. * & £	RW&	621 99 99	##\$	3,42,5	
Forests, first	ខាង	282 181	55.85 86.	385	<b>8</b> 9	9 <b>4</b> 5	\$ <b>\$</b> £	हस्य	225	
Lorer Abdomen, 12ft Lower abdomen, right	18	88	33	353	ALC.	978	<u> </u>		•	÷ ::=
British laste Thighy wight Knees laste	ខេត្តស	(25 <u>2</u>	<b>វិ</b> ន័ព	<b>2 5 5 6</b>	858 858	323	12 <b>3</b> 2	<b>E</b> I	8 <b>2</b> 2:	*
Koss, right Lwar log, left Lwar log, right	វដ្ឋជន	តិភាព	3835 3835	\$55 £3	13 <b>3</b> 3	<b>877</b> 8	88£	វិសិធិន	<b>%E</b> %	
Ulnvag			)	3	<b>6</b> 7	ia I	편 .	<b>a</b>	i <b>%</b>	. :
Loft Right	986 121	132	373 828	25.72 26.72 26.72	38	229 28v	111	21	<u>6.</u>	•
Miscellangous Ht Cle						ì		<b>P</b>	<b>4</b> 1	
Tabara Pri	e O	m ,	7.	T.	ж		91	្ន	4.6	
Guff, left Guff, right		8.8 8.8	100		o t	9.99	1,4			
Abdomen Neck	12.7	<b>6</b> 77	& & & & & & & & & & & & & & & & & & &	123	e c	30 20		e in S	317	
tolgos Skin			,				9.0	2.8	•	
TOTAL	2882	3 9	9, 1,0	7.1	1.1	1.9	1.1	0.3	1,08	
Plok-Up Factores	164.0	F. C.	300	noan	990	3758	1,933	1217	1361	
187477A	*****	70500	0.637	0.630	0.836	969.0	0.922	0.77	048.0	

CN	
01	

,								U'	7
. 25 % 5 9 % J		สัติธีรัชงธิชัชส <sub></sub> ว	%इह <sub>र</sub> श्रेबे <i>ष</i> %	82 11	7	7477	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	O.Sho	٠
Line Herrich		-	• '						
.egn <u>-</u> 33		233222228 233222228	E388811	28 28 28 28 28 28 28	ੜ	4 <b>9</b> 2 3	6.5 F214	0.TT	
		4 ±		* .,	=				
23156 <b>7</b>		285238 285238 285238	222222 222222 2222222	11th 297	29	ಇಳಿಕೊಂಡ ಬೆಳೆಗೆ ಬೆಂಡ	1.1	0.922	
1								ļ	
284 28		<i>E<sup>n</sup>5°</i> 88882373	######################################	285 285		84.0 6.0	1.9 31.28	9,6%	
	Pniforns		•			· .			
52 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	bections of	ភពនិត្តក <u>ក</u> កក្តីពីស្តិធិ	482222 88222 88222 8822 8822 8822 8822	32	*	o H w c Anath	1.186	0.836	
	on Various	•						.	
2 y % 3 % y &	(igs.) on Ve	ระรูธิระหูร	833444	8,8	泵	4 <b>4</b> 00	7.1 1.981	0.93	
	9		-						
7.7.2.8.6.5 7.7.2.8.6.5		* 22.54.42.42.22.22.22.22.22.22.22.22.22.22.22	<b>48</b> 3525252	373	켮	_ 48.80 46.50	, 1, 50 20, 1, 50 20, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	0.837	
	Similant								4 2 h
<sup>ፚ፠ፚ</sup> ዼዸዾ		23334172683 2333551726833	848238 <b>8</b> 8	äñ	•	20 ev 4 20 ev 4	300 300 300 300 300 300 300 300 300 300	0.58	trousars, and Zlowes.
.2.3			•						it, tro
25. 25. 25. 25. 25. 25. 25. 25. 25. 25.		ละผู้ปกรรู้นาว	ಸ್ತತ್ವಾತ್ವ <b>ಸ್ಥ</b> ಕ	<b>E38</b>	· 10	7.7	2631	0,628	p on Jacket,
	2.12			<i>5</i>			٠.		to led u
/an.r.		A Company of the Comp			1000	in the second second			ulent
weight (12.) Weight (12.) Uniform No. Uniform No. Contamination Usu Sai Sty (12./Sq. Pertitule (12.) Trivial (12.) Trivial (12.)	, l	Chart, latt Chart, wint Chart, wint Chart Abdorm, latt Union six, left Union six, left Union, lott Slow, lott Slow, lott Sonson, lott Sonson, lott	1 8 5						e S
2 (Y) %	Pickel	doneral donera	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1		<b>.</b>	#5 [21]		1	antitty
Hally (Mr.) Welfit (Mr.) Uniform Mo. Contamination Con-	Location of Pick-Up	Chair, laft Chair, right Chair, right Cypar Abiann, Cypar Abiann, Cypar an, laft Cypar an, laft Cypar an, laft Chair, laft Earean, laft Forean, laft	Lower Aldonous, 17th Lower Address, 18th Lower Address, 18th Lower Address, 18th Lower Louis 18th Louis	i vi	Mile Dansam	Thispwear Coffe 1 to the Coffe 1 to the Machine 1 to the Thights	5	Plokalp Factores	Total wantity of similant
Transport	Locati	្តិ ទី១៩១១១១១៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣៣	The second secon	\$ 3£		<b>F</b> ilitarian	Sein	Plok-Jp	ř

1203 102

17 April 1958

CONFINENTIAL

Obsert,		ಕ್ಷಣನಿಕೆ ಪ್ರತಿಕ್ಕೆ ಸಿದ್ದವೆ: ರಾಜಕ್ಕೆ ಪ್ರತಿಕ್ಕೆ ಪ್ರವಿಕ್ಕೆ ಪ್ರತಿಕ್ಕೆ ಪ್ರವಿಕ್ಕೆ ಪ್ರತಿಕ್ಕೆ	ระ กะระหระสนั	<b>ఆధిగిం</b> గాన్రోడ్ చ	อลี่ริงพอลิจัง
Abderban, 1-ft. 39 93 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6 1-6	<b>3</b> 788		 22	•	<b>J</b>
	<b>7</b> 47248	TERES	<b>*******</b>	38888e4	\$ <i>\$\$\$\$\$\$\$\$</i>
127   127   25   145   125   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145   145	29 127	86 85 53	8,55	& <b>6</b> 2 •	999
•	শ্ৰে	<b>v</b>	.at	<b>~</b>	v
Configuration of the configura	16.9 0.2			2.0	2000 2000
Totals 1204 1204 1204 1204 1204 1204 1204 1204	2.837.	322 572 1.475 1.413	370°T		987 1

-4f\*

15 May 1358	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							A Marie A.		
Titl Subject  Market (in.)  Market (in.)  Uniform No.  Uniform No.  Particle Size (p. 20)	* 25.33.55	- 25 3 5 E	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	~22 <b>43</b> 25	Pagara.	2.2.2.2.4.4.2.2.4.4.2.2.4.4.2.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.4.4.2.2.2.4.4.2.2.2.2.4.4.2.2.2.4.4.2.2.2.4.4.2.2.2.2.4.4.2.2.2.2.4.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	75 19 19 15 15 15 15 15 15 15 15 15 15 15 15 15	" 2 <b>24 25</b> 2		
Iraversal line ("in. 86%) Location of Pick-lip		1	₩ 18	(mg.) on Various	Sections of Writorns					
Jacket  Chast, left  Chast, right  Upper Abdomen, right  Upper Abdomen, right  Upper Abdomen, right  Upper Arms, left  Upper Arms, left  Upper Arms, left  Elbow, right  Forsarm, right	<u>ጀ</u> ሄ <i>ሮ</i> ያቯ <sub>ጠ</sub> ଞ୍ଜୁଘୟ <b>୪</b>	<b></b>	นูหัสะหหหละนะ	ละะเลนะมีผูชก		జెడికి సింధి <b>జిడి</b> డి	ጟ <i>፟፟</i> ዾዿ፠ <i>፠፠፠ዿ</i> ፘ	<b>๘๐฿๛</b> ๛฿๎๕฿๘๛	ాం <u>ద్</u> దవాగాల్లు	
Truckie Lower Abdomen, laft Lower Abdomen, night Thigh, laft Knea, laft Knea, laft Lower Lea haft Lower Lea high	-0824544 -0824544	<b>ጸዳ</b> ሮ <mark>ይ</mark> ፎ炎 ፫ ፰	<b>ኡ</b> ድ <b>ス</b> &ሮ <i>አኅ</i> ፡ሪ	สส88घ <b>ะ</b> 8%	- คือออักลสล 	ಜನಚಿತ್ರವ ಜನಿ	<i>ያአሄቭጷ</i> ሥ <del>ዻ</del> ዿ	<b>≒%8%</b> 48≻≒	<b>ጀ</b> <i>ଞ୍ଜଳ ଅଧିକ</i> ଝ	
Uloves Left Right	៩ដី	ñã	* 25	62 62	228	7. <b>5.</b>	<b>%</b> 25	8 <b>9</b>	<b>9</b> 99	
Mase Mansers	••	, <b>VA</b>	و.	-3		٧٠	.7	•	•	
Underwoor Cuff, 19ft Tuff, right Elbow	म <sub>0</sub> ८		1.7 19.3	8° 71	<b>€*</b> 0	£.	1.63 E.63	0	7,000	
Jakin Torale Piskip Factor**	853	1.04 771.1	377T	1.037	1,4175	572 1.413	1.047	705 0.893	1.000	,,
MATER THAI was performed on damp witching on damp witching quantity of similars picked septishoup factor equals percent of	5. \$ \$ \$ \$	rain. on jacket, trouseam, and glowes, ground contantimation picked up on	es, the unito	om to Emster of traversal.	raversal.					C

A second of the second second

CREST AND CREWE TREAL NO. 10

				5 6 7	<b>1</b>				7
8.9. Yes. 95			el	Table 12 5.00 10 10 10 10 10 10 10 10 10 10 10 10 1	त्र				
Test Subject  Modget (In.)  Uniform No.  Onformunation Entire (E./P.)  Particle Sies (W. A.D.)  Testered (In.)	.53838 <u>2</u>	7.52 1.52 1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.53	# 3 25 K 9 2 J	€ 9 24.4 26.6 26.6 26.6 26.6 26.6 26.6 26.6	ૺૹ૱ૡૺૡ૿ૺૹૺ૽	*884 <i>8</i> %	F & 7 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6	- 22 x 2 x 5 x 5	12 185 165 16.0 16.0 16.0
Location of Pick-19			Similant Storad	Page St.	8 0	S. J. J.	25.5	4-5	2-D
Jackst									
Or ossty Prefit	<b>6</b> ) (	£* :	રૂ	130	88	ĝ	2	=	c
Capar Abdemen, 1-ft	Dχ	ន្ទដ	55 55	57	77:	គេរ	: St	1.01	. O
hyper Abdomen, right	6)	77	\ (\).	} <u>[</u>	: g	a ().	₹5	£, 4	នូវ
the straining	;	۶.,	zi £	Ä.	£,	:A:	\ <del>``</del>	<b>ب</b> ا	<b>ζ</b> ιΛ
Elbon, 1sft	8.	. ફ	<b>1</b> 5,	, T	17:1	<b>3</b> %	£⊻	6	nì
Educate rates	5,1	S, ī	: ءِ		S	25.	. %		1) <del>-</del> 2
Forman, right	val	a y	T; £;	45	. <u></u>	٠ <u>٠</u>	ም	દિ	<b>크</b> (
Treasure				•	,	4	Ų.	Ŕ	2.
					•				
Lower Abdomen, lift Lower Abdomen, Hight	K P.		촳	17.5	đ:	20	[4]	ž,	\$
Thien, 1-ft	7;	(¥),	- <del></del> -	150	- e	K S'	ផង្គ	ខន្	3 ¥
Know, laft	g gr	412.1	3 2	17.5	Ł.	Si,	i zi	3	ንድ
And you will get	Ţ,	₹.	:2:	121	÷ [.	3=	ិដ្	દ્ય	<u>.</u>
The second second	<b>c</b> -o	ੀ ਵੀ	C) ed at	គីខ	دارد	la,	₹5,		) e
ŭ] Desa				:	,			٠.	c ,
ieft	អ	'n	• • •		Ý.	ş	;	,	
Right	ŗ,	113	,,,	. 2,	31	32.	E) C	<u></u>	61
Miscellaneous								?	2
R+£19	ıv	£i		ý	ź	a r	ļ	;	
					ı,		â	12,	13
Cuff, left		1.7	O C			•			
Ouff, right	i	•	ş			U - T			2.7
Acdomen	1°,	-1	ć	35 20 20 20 20 20 20 20 20 20 20 20 20 20			( u		
jeck,		Ç	·;•	è					
Skin									
Tolass	7.7%	1174	Ē	2813	er C	31.0	9		,
Fig. K.L.'n Ganta Tab	,	,				4		ķ	\$31
	47		ž			•			

•

\*Total quantity of closest jetsus most beteat, two costs of the seasons and costs of the seasons of the seasons

# CONFIDENTIAL A SIGNATURE OF THE SIGNATUR

# Armed Services Technical Information Agency

ARLINGTON HALL STATION ARLINGTON 12 VIRGINIA

FOR

MICRO-CARD

CONTROL ONLY

2 OF 2

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

CONFIDENTIAL

	c 8 కి.మంగ్రినేస్తే స		Δř.	ន		1,59
	はいだおいいごそから		រី. <b>វ</b> ិ	7 2 7	t <sub>.</sub>	8 3
	\$4 <b>\$</b> \$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$	0.32838 <b>6</b> 25	£#.	-	-7 · · · · · · · · · · · · · · · · · · ·	7.°°
e i far iz	対抗権的基本ののであ	೩೩೯೫೨ವರ್ಷ.	έğ	ί.	40 g	ş. 90
The accidence and	<u>୭.୧୭୭</u> ୯ନ୍ମ ଅଧିକରେ ଓ	- 건설없잖을받는	ន្តដ	٠ ا	80 80 80	66.
Somitant First of types of families with the off instrume	EP. 32. 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4		<u>ૂં દ</u> .	ĥ.	20. c 74. c 74. 4.9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
millent Film of	중기까라리육등 다음	2000	125		93 83 83 83	e #
5	<u> </u>	ដួរ ខេត្តបាន		5a		450 7605
?.	ಇದ್ದರು. ಡರ್ಜಾಚ	KERASTON.	<b>អ</b> ែ	Ľ۱		77a 1.•72

CHARL ST. CRASE TRIAL TO. 13. TABLE 11

28 May 1958

Logation of Pick-to

Jack

£283582

'' నిని ప్రక్షిక్తిన్న

**់**ទីងីងមីឱ្យ

~ 25 £ £ £ £ £ 5

£&22826

#328 \$25 525

ESSEEG-

18886

Tast Subject Meight (In.) Uniform No. Contamination Destir (2./p. 1.2.) Particle 51-9 (1), AD) Trave no. Time (Tim. 550-)

Cheek, left Cheek remain late Cheek remain late Typer Abbream, First Cyper Amy 100f Ellion, left Ellion, left Ellion, refer Forestry, left Forestry, refer TR. SET

Louis Abbreat, 1.87 Louis Abbreat, 1.75 Figh, E.f. Fish, M. of Know, M. Marey Hoff Louis Per, Mill Count Ley, 1.87

Gloves

Misce liane rus reft Right

Ficher Chart TEN NO NY TY

#Jotal graceff of the Ment of the same of the control of the same of the control of the control

a.\*

\* TOTAL AREA . . . . . . . .

			÷	ACC.	CONFORMAN	~		,		
19 J to 1953		•	à	(1985년 - 1985년 - 1987년	शामके केशा रूट-को-को सर्का टा चहरा			,	Annual	海绵测量
Table on Gent (197) in (197) (197) in (197)	7. 7. 165, 106, 11.5 11.5	100 M	TT 105 105 105 105 105 105 105 105 105 105	A CONTRACTOR	A SEA SEA SEA SEA SEA SEA SEA SEA SEA SE	25. 25. 25. 27. 27. 27. 21. 21. 21. 21. 21. 21. 21. 21. 21. 21	77 265 28.2 28.2 29.11 11.6 11.6 11.6	4 4 2 5 5 4 4 6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6	- เรียน เรีย	1 5 8 8 8 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1
The control of the co	รศัพมิสสพิธิมิส เ	គ្គក្នុកសង្គម <u>អ</u> ្នក	- సంజలపునకిగిలేక	Soder 13588	ಡೆಸಣ್ಣಿಕ್ಕು ನಿನಸಿನ ಕ	cenfice 발생함()	พดสหอาร์หอะ	<b>គ</b> 830-25%ବନ	หพละ <mark>"มี</mark> อีลิลิ	z 8 3 3 % _ 8 3 3 5
	11.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00	สมัยยุริยัย	ย์สิวิตร์โทลีพ	೫೧೮೨೦೧೨೭	Hemy #ffee	Programa.	ಕ್ರಾಟ್ಗಡಚಿಚಿಸಿ	20,748,822	&##3\$###\$</td><td>ፎጅዻቘ፟፟ዿ፝ዼ፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟፟</td></tr><tr><td>원 원 개 시 시 대립 : 1</td><td>रुद्ध</td><td>32. 351</td><td>12.5 13.7</td><td><b>5</b>%</td><td>es</td><td>8-3</td><td>291 291</td><td>575</td><td>₹%</td><td>X8</td></tr><tr><td>i ga</td><td>z</td><td>J</td><td>1,6</td><td>7</td><td></td><td>77</td><td>121</td><td><u></u></td><td>79</td><td>-88</td></tr><tr><td>지다. 보기 : <b>보</b>기 : <b>보</b>기 : 보기 : <b>보</b>기 : 보기 :</td><td>ତ୍ତୁତ୍ ଅନ୍ନ</td><td>2.3</td><td>r.</td><td>G</td><td>6.7</td><td></td><td>0.1 0.1 0.1</td><td>46</td><td>5-7 E</td><td>e a</td></tr><tr><td>801.</td><td>1.0 2356</td><td>1,0 27.08</td><td>5,32</td><td>3.96</td><td>368</td><td>ę.</td><td>Tér</td><td>5941</td><td>8</td><td>36.19</td></tr><tr><td>Pick±jg Zactor##</td><td>1,273</td><td>1,329</td><td>1,7%</td><td>1.02</td><td>3,115</td><td>1.26</td><td>1,274</td><td>1.136</td><td>1.395</td><td>1.31</td></tr><tr><td>45%, 16.5s</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	

efotal quantity of classiant foldwork up on jodget, itsmanra, and jiwme. MePlok≕ip factor eysals proment of the ground contemination tived up on the millions por table of transmast.

i

28428°8248 EKZESESS 3 28 \*8227/8233. 1.3% BRESERRE SECENE ₹× 79 ~.a 9 **ಜನವಿದ್ದಾರ್ಣನ್ನು** 25,425,52 1.186 3% 1,465 Ω. .274 23 **ಸಲ್ಪಡ್ಷದಲ್ಲಿನ** 50 5 3 8 3 2000 J. 200 8-3 -3

3532563550 3の8代44年500

はなどだっぱんのほう

とうはく シャンはその

สสกจะผลังดิสิ

ลี่ผู้ผู้ผู้ผู้ผู้ผู้ผู้ผู้

名間の意味などれ

Formattoc

DEERSAER

aaaaaaaaaaaa

RESERVED BY

23

22

35

35

223

2,115

60.

. 5

335

Z 5.

3.56

۲.

2,0

900

stalat nellon-Ve-Vertral

TASL6 22

45,88,44°

45,8% £ 1 3

\* 5,32 2,5 13

ᄯᇏᄣᅸᆑᅺ

< 독월링을 <mark>중</mark>

្នុកខ្លួននិង**្គីវិ** 

~ 43335**3**5

4525 F

453827

larticle Size (p. 10.) (2./42.11.)

froation of Picking

# A XIC:Z99A

Table 13

# Comparative Pick Up on Roller and Man

	Test	Contemination	Acorox particle		Pick-Up	
Date	subject	density	9120	Roller	Hen	Roller Men
	-	; g/sy ∎	μ	R	g	}
19 Jun 58	; <b>A</b>	i 10.5	Large	3.61	3.30	1.08
19 Jun 58	; <b>A</b>	. 6.95	Large	2.66	2.31	1.15
19 Jun 58	! ▲	9.42	Large	; 3.85	2.84	' 1.36
19 Jun 58	· 🛦	2.30	Large	9.94	3.77	1,22
19 Jun 58	<b>A</b>	3.73	Large	0.49	0.39	1,25
19 Jun 58	<b>A</b>	1.44	Smm 11	3.94	1 2.40	2.)4
19 Jun 58	Á	3,11	Small	<b>1.2</b> 0	: 0.99	. 1.21
19 Jun 58	A	5,29	Smoll	: 1.71	1.57	. 3.77
15 Jun 58	A	7.70	Small	3,93	2.69	. 1.46
19 Jun 58	A	10.4	Small	4. 0	3.41	1.17
. 14 Apr 58	В	2.13	1120	1.90	: 1.47	1.29
14 Apr 58	A	2.43	1000		1.97	1.05
14 Apr 58	4	2.08	<b>3</b> 00	1.48	: 1.46	1.01
· 17 Apr 58	, D	12.1	2500	6.48	5.96	1.28
17 Apr 58	: I	9.85	25:00	5.00	3.43	1.46
17 <b>≜</b> pr 58	. R	8,00	2500	3.82	: 3.3⊍	1.14
. 15 May 58	. н	1.45	<b>元</b> の	1.09	.0.85	1.28
15 May 58	G	0.31	31 20	<b>∂.5</b> ⊃	1 0.57	1.40
:5 .23 3c	E	1,62	31 00	1.45	1.01	1.44
28 <b>½m y</b> 58	G	່ ວ <b>.9</b> ວ	<b>60</b> 0	1.24	0,77	1.61
28 Way 58	<u>;</u> н	2,53	6-30	3,08	2.42	1.09
28 May 58	<u> </u>	) <u>.</u> 81	600	1,32	0.63	2,09

### Remerks:

- Triels conducted on 19 Jun 58 were run in accordance with Test Flam No. 29.
   The other data presented were obtained in conjunction with "creep and crawl" trials.
- 2. Physical characteristics of lest subjects appear in preceding tables.

# APPENDIX A

# Table 14

# Comparative Transferability of Agent and Simulant

		1			Roller Pick	-Up	
	:	i	ř	irai Trav	ersal	Second Tr	Cversel
Trial no.	Contamination density	Particle size	Top cloth	Under	Ratio sgent/sim*	Tep cloth	Under cloth
	g/84 R		ng	=42	Ţ	ag	T mg
1	8.5	Sasli	2,440	23	0.68	27	i
2	13.9	Small	2,390	! 43	0.41	' 80	1 2
3	6.9	Sasl1	2 5 30	40	0.89	17	2
4	3.6	Small	1,270	52	0.85	16	1
4	2.2	Small	250	25	IJ <b>.2</b> 9	10	1
6	10.0	Large	2,000	: 7	0,53	1/6	! 54
7	1 12,9	Laska	1,200	23	9.25	60	59
8	i 8,2	Lorgo	1,250	2	0.40	i 47	1 23
9	3.4	Large	1,100	15	0.85	1 18	11
10	1.0	Large	520	' 16	1.34	7	5

### Remarks:

\*In establishing the ratio of agent to similant pick-up, corresponding values of simulant pick-up were obtained from curves in figure 3, according 8, which were fitted to data obtained on 17 June 1752 as presented in table 13, this appendix.


CONFIDENTIAL


# APPENDIX B

# GRAPHS AND CHARTS


					F	age.
Figure	1	Distribution of Simulant on Uniforms of Test Subjects.				28
7igure	2	Distribution of Simulant on Uniforms of Teat Subjects.				29
Figure	3	Pick-Up of Simulant on Cloth-Covered Roller				30
Figure	4	Gomentative Transferability of Agent and Simulant				31

CONFIDENTIAL





					1	UNFIDER	AL	:				:
			!		1 .					!		:
			:			:		:	-	· .		
									C412.			
\									Sarit in	 L		
	1		; ·		·			· · · · · · · · · · · · · · · · · · ·	e x			
			• • •					· ·			7	
			ι : `\' : 		:	: "					-	• •
	<del>.</del>		· · · · ·	*		• · · · • · · · · · · · · · · · · ·		 			Contactant or Dines to (a/	
<del></del>	:			`	1			•	· · · · · · · · · · · · · · · · · · ·		4	
	:			p 				:			tar an	***
		 						:	-		io,	
			:			· • • • • • • • • • • • • • • • • • • •	c			· ·	:	
					·						•	-
						- ·		اما			,	
									<u>`</u>		· <del>· · · · ·</del>	<del></del> -
									y ' '	<del>``</del>	: 	
· ·									* 		·	
		·	•	(*	2) Ze	) (८१ ५२ <sup>†</sup> वाहुन <b>भव</b>	4 [d]		·,		·	
- • :		·			CW	IDENTIAL					• • [	



Contourne from Density (A.A. . ...)

# **MO 135**1

# APPENDIX C


	PHO COURT	
		Pag
Figure 1	Spinning Tip apparatus	33
Figure 2	Multijet Disperser	34
Figure 7	Mossles for Multijet Disperser	35
Figure 4	Cloth-Covered Roller	نۆ
Pigure 5	Contaminated Uniform (Light)	37
Figure c	Contamin 1 ed Uniform (Medium)	38
Figure 7	Contaminated Uniform (Heavy)	39



# FIGURE 1

# SPINNING TIP APPARATOO


View shows sled-mounted spinning tip as variatus employed in discersing simulant in fine droplets.



PIGURB 2

THITTE DISPERSE

View shows glod-mounted multipet disperser enjoys, in the disperiment drowless drowless The sied for the establish times everyone is seen in the technical.




Alle Inder

FIGURE 3

# "OZZLES FOR MULTIJET DISPERSER


Top view shows a section of the dispersor manifold with needles for disseminating 3 mm droplets. Bottom view shows nozzles for disseminating shattered ironlets averaging less than 0.5 mm in dismeter.



CLOCH-COVERED ROLLER

In this view the cotton sateen cover is lifted to show the 1/2-in, thick foam rubber and covering the steel drum of the rollar.






PIGURE 6

CONTACTURATE UNITORY (MEDIUM)

View slows contaminated clothing mounted on a plane surface after seem



CONTANTIAL STATE OF THEMAN

View et one e schanding to se docking a section of section of the property of the property world

# DISTRIBUTION LIST

# Copies made: 27

- 1 Technical Library, CW Laboratories, (Record Copy)
- 2 5 Technical Library, Ch Laboratories
  - 6 Director of Development, Thrus Tochnical Library, CW Laboratories
- 7 8 Chief Chemical Officer, Department of the Army, Washington 25, D. C.
  - 9 Commanding General, GalC Research and Development Command, Department of the Army, Washington 25, D. C.
- 10 -11 Chief, Technical Overstions, Dugway Frowing Ground, Dugway, Utah ATTN: Chief, Technical Library
  - 12 Director, GmlC Operations Research Group, Suilding 483, Army Chemical Center, Maryland
  - 13 President, Chanical Corps Posts, Army Chamical Center, Maryland
  - 14 Asst for Caramu, Thru: Technical Library, CW Laboratories
- 15- 20 Commander, Armed Services Technical Information Agency, Document Services Center, Knott Building, Dayton 2, Oric, ATTS: TICSOP
- 21- 22 Canadian Army Technical Representative, Building 331, Army Chemical Center, Maryland
- 23- 24 British Lisison Officer, Washington C. D. C.
- 25-26 Directions of Medical Research, Army Chemical Center, Moryland ATON: Toxicology Livisi n

# UNC" ASSIFIED

# UNCLASSIFIED

# DEPARTMENT OF THE ARMY

# US ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND EDGEWOOD CHEMICAL BIOLOGICAL CENTER 5183 BLACKHAWK ROAD ABERDEEN PROVING GROUND, MD 21010-5424

ATTENTION OF

**RDCB-DSR-S** 

JUL 1 1 2016

MEMORANDUM THRU Director, Edgewood Chemical Biological Center, (RDCB-D/ Dr. Joseph Corriveau), 5183 Blackhawk Road, Aberdeen Proving Ground, Maryland 21010-5424

FOR Defense Technical Information Center, 8725 John J. Kingman Road, Ft Belvoir, VA 22060

SUBJECT: Internal Request for Change in Distribution

- 1. This action is in response to an Edgewood Chemical Biological Center (ECBC) Internal Request for a Change in Distribution.
- 2. The attached listed documents have been reviewed by ECBC Subject Matter Experts and deemed suitable for the change in distribution to read "Approved for public release; distribution unlimited."
- 3. The point of contact is Adana Eilo, ECBC Security Specialist, (410) 436-2063 or adana.l.eilo.civ@mail.mil.

Encl

Security Manager

- 1. Manthie, J.H., Heitkamp, D.H. Dorsey, R.W., Stark, W.C., Bona, D.M., Moore, R.D., and Cameron, K.P., Mustard Contact Hazard, Correlation of Effects on Skin with Contamination Levels Recovered from Dental Dam and Painted Steel Surfaces, CRDEC-TR-88142, August 1988 (Dist. B. U. S. Government Agencies) DTIC: CBRNIAC-CB-009397
- 2. Manthei, J.H.; Heitkamp, D.H.; Dorsey, W.C.; Starke, W.C.; Braun, R.A.; Bona, D.M.; Moore, R.D.; Cameron, K.P.; Klein, J.M. *Toxic Hazard to the Rabbit from Direct and Vapor Contact with HD-Contaminated Plexiglas, Concrete, or XM40 Nylon Carrier Material*; CRDEC-TR-86072; U.S. Army Chemical Research, Development and Engineering Center: Aberdeen Proving Ground, MD, 1986 (Dist. B. U. S. Government Agencies) **DTIC: ADB105323**
- 3. Manthei, J.H.; Heitkamp, W.C.; Starke, W.C.; Braun, R.A.; Bona, D.M.; Moore, R.D.; Cameron, K.P.; Heyl, W. C., *Toxicological Evaluation of the Contact and Vapor Hazards of VX and Thickened VX (TVX) in Rabbits*, CRDEC-TR-84072; U.S. Army Chemical Research, Development and Engineering Center: Aberdeen Proving Ground, MD, 1985 (Dist. B. U. S. Government Agencies)

  DTIC: ADB095637
- 4. Reich, N., Interim Report CWL Traversal Program Phase B Pick-Up (Effects of Ground Moisture), CWL Technical Memorandum 33-26, U.S. Army Chemical Warfare Laboratories, Army Chemical center, MD, June 1960 (Dist. C. U. S. Government Agencies and their Contractors) DTIC: AD0318492
- 5. Reich, N. Interim Report CWL Traversal Program Phase B Pick Up, CWL Technical Memorandum 33-19, U.S. Army Chemical Warfare Laboratories, Army Chemical Center, MD, February 1959 (Dist. C. U. S. Government Agencies and their Contractors) DTIC: AD 306322
- 6. Reich, N. Interim Report CWL Traversal Program Phase A Persistence, CWL Technical Memorandum 33-18, U.S. Army Chemical Warfare Laboratories, Army Chemical Center, MD, February 1959 (Dist. C. U. S. Government Agencies and their Contractors)

DTIC: CBRNIAC-CB-047279

- 7. Deseret Test Center. Environmental impact statement for the study of the toxicity and fate of agent and residues in vegetation and soil, DTC Test CT-1 and CT-2, Deseret Test Center, Fort Douglas, UT, 1970. (Dist. B. U. S. Government Agencies) DTIC: CBRNIAC-CB-104377
- 8. Houle, M. D., Long, D. E., *Methodology Investigation Final report Repid Evaluation of Environmental Hazards: the fate of VX and GB in the Dugway Proving Ground Environment*, GPG Document No. DPG-FR-85-703U. S. Army Dugway Proving Ground, Dugway, UT, March 1989 (Dist. B. U. S. Government Agencies) **DTIC: ADB131330**